

INTERNATIONAL VERSION

POLARIS *GENERAL*

2020

ACCESSORIES + APPAREL



THE RIGHT GEAR

ALWAYS MATTERS

ELEVATE YOUR ADVENTURE

The ultimate multi-purpose machine with unmatched performance, comfort and capabilities. When you customize with Polaris Engineered Accessories™ you have the confidence to take command of any task and any trail.

2020 LINEUP

XP 1000 DELUXE



- POLARIS GENERAL XP 1000**
- WALKER EVANS® VELOCITY SHOCKS
 - SPORT ROOF
 - POLARIS HD 2041 kg WINCH
 - STAGE 1 AUDIO SYSTEM BY ROCKFORD FOSGATE
 - SPORT LOW PROFILE FRONT BUMPER
 - CONVEX REAR VIEW MIRROR
 - 30" PRO ARMOR™ CRAWLER XG
 - XL FENDER FLARES

DELUXE



- POLARIS GENERAL 1000 DELUXE**
- PREMIUM PLUS:**
- FOX PODIUM X 2.0 QS3 SHOCKS
 - SPORT ROOF
 - STAGE 1 AUDIO SYSTEM BY ROCKFORD FOSGATE
 - CONVEX REAR VIEW MIRROR
- Now Available in Two Color Packages

PREMIUM



- POLARIS GENERAL 1000 PREMIUM**
- BASE PLUS:**
- AUTOMOTIVE PAINT
 - MATTE BLACK CAST ALUMINUM WHEELS
 - 68.68 cm MAXXIS CORONADO TIRES
 - SPORT LOW PROFILE FRONT BUMPER
 - POLARIS HD 2041 kg WINCH

BASE



- POLARIS GENERAL 1000**
- 100 HP PROSTAR ENGINE
 - 272 kg DUMPING BOX
 - STANDARD HALF DOORS
 - ELECTRONIC POWER STEERING (EPS)
 - POLARIS LOCK & RIDE COMPATIBLE
 - VERSATRAC TURF MODE

4-SEAT



- POLARIS GENERAL 4 1000**
- BASE PLUS:**
- AUTOMOTIVE PAINT
 - MATTE BLACK CAST ALUMINUM WHEELS
 - 68.68 cm DIRT COMMANDER 8-PLY TIRES
 - FOX® PODIUM 2.0 QS3 SHOCKS
 - SPORT LOW PROFILE FRONT BUMPER
 - POLARIS HD 2041 kg WINCH

CONTENTS

ACCESSORIES 08


WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS	12
VEHICLE & RIDER PROTECTION	13
STORAGE	14
CAB COMFORT	16
HUNT	16
POLARIS NORTHSTAR COOLERS	18
RIDE COMMAND & AUDIO	20
LIGHTING	22
WHEELS & TIRES	24
WINCHES	30
PLOWS & TRACKS	31

PARTS & GARAGE 32

OIL & LUBRICANTS	32
MAINTENANCE	34
HD PARTS	38
SERVICE PARTS	40
BATTERY & LIFTS	42
GARAGE & TRAILERING	44

APPAREL & HELMETS 46

OUTWEAR & PROTECTION	46
LIFESTYLE APPAREL & CAPS	52
CAMO & GIFTS	54



KEEP YOUR
STANDARDS
HIGH. WE DO.

DESIGNED



Designed by the same people who designed your vehicle.

TESTED



Extensively tested in the field so you ride with 100% confidence.

TRUSTED



65 years in the business.
The #1 name in Off-Road.

**WE HOLD OUR
PARTNERS TO THE
SAME STANDARDS**

PRO ARMOR 
WHEELS, TIRES & LIGHTING DESIGNED WITH
POLARIS TO MAXIMIZE PERFORMANCE

 **Rockford Fosgate**
A GLOBAL LEADER IN AUDIO INNOVATION,
DESIGN & ENGINEERING

RIGID
PRODUCTS SO GOOD THEY REPLACE
OR REPAIR THEM FOR LIFE

KOLPIN
OUTDOORS
MAKING PRODUCTS FOR AVID
SPORTSMEN SINCE 1943

ENGINEERED TO TAKE ON *THE ELEMENTS*

TESTED & PROVEN



DUST



WIND

**POLARIS GENERAL CABS PROVIDE
THE INDUSTRY'S TIGHTEST SEAL**

11x BETTER DUST SEAL

**BUILD YOUR CAB SYSTEM
STARTING ON P. 08**



**COMFORT
YOU HAVE TO
EXPERIENCE
TO BELIEVE**

Our cab components create an experience enhancing interior, offering supreme comfort to your vehicle.



PROFILE TUBE DESIGN

Contours built into the cage deliver the best sealing surface in the industry.




PERFECT FIT, PERFECT SEAL

A 360° gasket seal provides the tightest-sealing cab in the industry.



LOCK & RIDE EASY ON & OFF

Adapt to your needs and environment with exclusive tool-less, easy-on, easy-off Lock & Ride components.



PLUG & PLAY ELECTRICAL

**EFFORTLESSLY ADD
LIGHTS, HEAT, WIPERS & AUDIO.**

A revolution in electrical accessory integration, the Polaris PULSE Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories.

Look for  to identify Polaris PULSE ready accessories.





BLAZE A NEW TRAIL

Vented Windshield: P. 08
Hard Coat Poly
Sport Poly - Roof: P. 12

NEW XL Fender Flares: P. 13 NOT SHOWN
LOCK & RIDE Cargo Box: P. 15
RIGID® SR-Series Combo Light Bar: P. 22

Pro Armor Wheel & Tire Set: P. 29
29" Mud XC & 14" Shackle - Matte Black
Winch: P. 30



ELEVATE YOUR ADVENTURE

LOCK & RIDE Full Vented Windshield: P. 08
Hard Coat Poly
LOCK & RIDE Rear Panel: P. 09
NEW High Clearance A-Arm Guards: P. 13
Front & Rear

LOCK & RIDE Tip-Down Headache Rack: P. 14
LOCK & RIDE Bed Extender: P. 14
LOCK & RIDE Cargo Box: P. 15

NEW Stage 4 Ride Command Audio Kit
by Rockford Fosgate: P. 21
RIGID Lighting: P. 22
Pro Armor Wheel & Tire Set: P. 29
30" Attack 2.0 & 15" Halo Accent

POLARIS GENERAL

THE RIGHT GEAR ALWAYS MATTERS

EXPERIENCE OFF-ROAD LUXURY

- ☐ Windshield & Rear Panel P. 08
- ☐ Doors P. 10
- ☐ Roof P. 12
- ☐ Cab Comfort P. 16

NEXT LEVEL VERSATILITY

- ☐ Storage P. 14
- ☐ Lighting P. 22
- ☐ Wheels & Tires P. 24
- ☐ Winches P. 30

THE RIGHT STUFF TO MAINTAIN YOUR POLARIS GENERAL

- ☐ Oil & Lubricants P. 32
- ☐ Maintenance P. 34


EVERYTHING YOU NEED TO GEAR UP

- ☐ Apparel P. 46
- ☐ Helmets P. 48

WINDSHIELDS

Keep the elements out and control air flow into the cab.


POLARIS ENGINEERED™
ADVANTAGES



GLASS VS POLY

- Superior optical clarity (automotive level)
- Scratch resistant
- Curved to fit, seals tight
- Cold weather/ Heavy duty
- Wiper ready (windshield only)

- Lightweight, flexible, easy to store/remove
- Impact-resistant
- Tight seal keeps out rain and dust
- Hard Coat: 30x more scratch resistance than regular poly windshields



LOCK & RIDE

REVOLUTIONARY
INSTALLATION




AIRTIGHT
GASKET SEAL

GLASS

HARD COAT POLY

POLY



TIP-OUT WINDSHIELD - GLASS

» 2881108
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

LOCK & RIDE FULL WINDSHIELD - GLASS **TOP SELLER**

» 2881109
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

NEW LOCK & RIDE VENTED WINDSHIELD - HARD COAT POLY

» 2884223
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

FLIP-DOWN WINDSHIELD - HARD COAT POLY

» 2882174
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20




WINDSHIELD WIPER & WASHER SYSTEM **TOP SELLER**

» 2881090
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with maximum ventilation.



NEW LOCK & RIDE FULL WINDSHIELD - HARD COAT POLY

» 2884337
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

LOCK & RIDE HALF WINDSHIELD - POLY

» 2881111
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20




REAR PANELS

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and **control the swirl** by installing a rear panel.



LOCK & RIDE REAR PANEL - GLASS **TOP SELLER**

» 2881113
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



LOCK & RIDE REAR PANEL - POLY

» 2881112
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

ACCESSORIES

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

COOLERS

RIDE COMMAND & AUDIO

LIGHTING

WHEELS & TIRES

WINCHES & PLOWES

ADD A REAR PANEL TO REDUCE
THE DUST SWIRL

DOORS

COMPLETE YOUR CAB. POLARIS GENERAL comes equipped with half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris options.

**11x
BETTER**
AT KEEPING DUST OUT

REPLACE STOCK HALF DOORS

PREMIUM POLY FULL DOORS

- Impact and scratch-resistant tempered glass
- Fully-sealed design keeps elements out for a premium in-cab environment
- Hinged window adjustability
- Soft-touch, easy to clean premium interior liner

2-SEAT

- Six-way glass window adjustability

» 2883717
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

4-SEAT

- Push-out windows
- Kit includes B-pillar cover seal

» 2883082
POLARIS GENERAL XP 4 1000 '20
POLARIS GENERAL 4 1000 '17-20

POLARIS ENGINEERED™
ADVANTAGES



**PREMIUM
INTERIOR HANDLE
AND LINER**



**A PERFECT
FIT FOR THE
PERFECT SEAL**

ADD UPPER DOORS TO STOCK HALF DOORS

ZIP WINDOW UPPER DOORS

- Durable, rugged canvas stitched over a robust steel frame
- Lightweight, UV-resistant construction
- Retention straps for increased strength
- Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

2-SEAT

» 2882548
POLARIS GENERAL XP 1000 '20
POLARIS GENERAL 1000 '18-20


NOT SHOWN

4-SEAT


» 2883453
POLARIS GENERAL XP 4 1000 '20
POLARIS GENERAL 4 1000 '18-20

ROOFS

Protect yourself from the elements. The right roof shields you from the sun and driving rain.



**A PERFECT
FIT FOR THE
PERFECT
SEAL**



**PREMIUM
FEATURES
& QUIETER
RIDE**



**KEEP
MOISTURE
MOVING**

**POLARIS ENGINEERED™
ADVANTAGES**


ALUMINUM VS POLY

- High Protection Strength
- Lower Profile
- Sleek Style
- Water Run-Off
- Pre-Existing Mounting Features
- Liner Ready
- Lightweight

2-SEAT

ROOF - ALUMINUM

- » 2881105
POLARIS GENERAL XP 1000 '20
POLARIS GENERAL 1000 '16-20



PREMIUM ROOF - POLY

- » 2883800
POLARIS GENERAL XP 1000 '20
POLARIS GENERAL 1000 '16-20



**INCLUDES
PREMIUM
ROOF LINER**

SPORT ROOF - POLY

- » 2883780
POLARIS GENERAL XP 1000 '20
POLARIS GENERAL 1000 '16-20



4-SEAT

PREMIUM ROOF - POLY

- » 2883801
POLARIS GENERAL XP 4 1000 '20
POLARIS GENERAL 4 1000 '17-20



**INCLUDES
PREMIUM
ROOF LINER**

SPORT ROOF - POLY

- » 2883781
POLARIS GENERAL XP 4 1000 '20
POLARIS GENERAL 4 1000 '17-20



NEW POLY ROOF LINER

- » 2883802
POLARIS GENERAL XP 4 1000 '20
POLARIS GENERAL 4 1000 '17-20
Compatible with Sport Roof - Poly (2883781), sold separately



VEHICLE & RIDER PROTECTION

Arm your POLARIS GENERAL with Polaris Engineered bumpers and guards to take on any challenge. Engineered for easy, secure installation; providing added protection for lights, bodywork and suspension.



REAR BUMPERS NOT SHOWN

SPORT

- » 2884345
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

ROCK SLIDERS NOT SHOWN

LOW PROFILE

- » 2881102
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20
Not compatible with XL Fender Flares

EXTREME KICK-OUT

- » 2-SEAT • 2881101
POLARIS GENERAL XP 1000 '20
POLARIS GENERAL 1000 '16-20
- » 4-SEAT • 2881992
POLARIS GENERAL XP 4 1000 '20
POLARIS GENERAL 4 1000 '17-20



HMW A-ARM GUARDS NOT SHOWN

FRONT

- » 2880274
POLARIS GENERAL 1000/4 '16-20

REAR

- » 2880171
POLARIS GENERAL 1000/4 '16-20

FENDER FLARES

XL **NEW**

- » 2884220
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20
Not compatible with Low Profile Rock Sliders

HIGH CLEARANCE A-ARM GUARDS

FRONT **NEW**

- » 2884221
POLARIS GENERAL XP 1000/4 '20

REAR **NEW**

- » 2884222
POLARIS GENERAL XP 1000/4 '20

FRONT BUMPERS

A SPORT LOW PROFILE

- » 2881094
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

B SPORT UPPER

- » 2881525
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20
Requires Sport Low Profile Front Bumper

EXPANSION ANCHOR MOUNTS

TOUGH EXPANSION ANCHOR MOUNTS DESIGNED FOR POLARIS GENERAL ALLOW FOR QUICK INSTALL OF ROCK SLIDERS AND BUMPERS WITHOUT DAMAGING THE VEHICLE'S FRAME.




UNEXPANDED



EXPANDED



STORAGE



Ample storage with multiple openings for ease & convenience



LOCK & RIDE
SPARE TIRE CARRIER

» 2881529
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



BEHIND SEAT STORAGE BAG

» 2882164
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



IN-DASH STORAGE BAG

» 2882165
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

LOCK & RIDE
CARGO BOX

» 2881527
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20
Includes all mounting hardware for secure installation

LOCK & RIDE
D-RINGS

» 2881545
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



NOT SHOWN **FIRE EXTINGUISHER HOLDER**

» 2882158
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20
Fits most 8.25 cm fire extinguishers (not included)



EASILY RECONFIGURE FOR ANY TASK OR ANY TRAIL



CAB COMFORT



8-VENT HEATER & DEFROST SYSTEM

» 2881316

POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20
Not Compatible with Rockford Fosgate® Stage 4 Audio Kits



WINDSHIELD WIPER & WASHER SYSTEM TOP SELLER

» 2881090

POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



CONVEX REAR VIEW MIRROR

» 2881540

POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



FLOOR MATS

» 2881934

POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



MULTI-FUNCTION CAB LIGHT

- LED dome light provides white, red, green and blue lighting options
- Battery-operated, recharges when vehicle is on
- Remove to use as flashlight in and around vehicle




- Red light is great for reading maps
- Green light is perfect for navigating in the dark
- Blue light is ideal for night riding



» 2884047

POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '19-20




POLARIS PULSE LED LIGHT BAR HARNESS

- Required to easily add electric components

» 2883785

POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '19-20

POLARIS ENGINEERED™ ADVANTAGES



ELECTRICAL INSTALLS MADE EASY WITH PLUG & PLAY

- To install accessories, simply plug the harness into the Polaris PULSE hub
- No need to remove nuts and stack wire terminals like a three-post terminal setup
- By plugging in your accessories, a secure connection is guaranteed every time

Look for to identify Polaris PULSE ready accessories.


HUNT KOLPIN® OUTDOORS

PROTECT THE GEAR YOU NEED. LIVE THE LIFE YOU LOVE.



We would like to thank our partners Browning® and Mathews® for helping to deliver a successful and safe off-road experience when out in the field.

KOLPIN STRONGHOLD® CASES



KOLPIN STRONGHOLD® GUN BOOTS

» XL TRANSPORT • 2882430*
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

» L IMPACT • 2882426*
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



KOLPIN STRONGHOLD® ICE ROD BOOT

» 2882428*
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



KOLPIN STRONGHOLD® ICE AUGER/ POP-UP BLIND BOOT

» 2882427*
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

KOLPIN RHINO GRIPS®

IDEAL FOR BOWS & UNCASED GUNS


LOCK & RIDE RATCHETING RHINO GRIP®

» 2881575
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



LOCK & RIDE RHINO GRIP® PRO

» 2884107
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



LOCK & RIDE RHINO GRIP® XL

» 2881574
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20




LOCK & RIDE RHINO GRIP® XL DOUBLE

» 2884108
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20




RHINO GRIP® XL REPLACEMENT RUBBER STRAPS

» 2881621
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20




LOCK & RIDE RHINO GRIP® PRO RUBBER STRAPS

» 2884109
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



Never transport a loaded firearm. Verify firearm is unloaded prior to mounting. Please refer to local laws and regulations regarding the requirements for the legal transport of firearms.

*REQUIRES AUTO-LATCH MOUNT (2883970 OR 2884106)



KEEP IT
ICE COLD



GRIZZLY TESTED. POLARIS APPROVED.



This cooler is IGBC-approved, meaning it withstands the power expended by a typical grizzly bear if it was trying to get inside.

Seriously, there are experts who know what a grizzly is capable of doing, and they certify our coolers can take it.



28, 57 & 99
LITER FEATURES



ComfortCarry
Handles



TravelLock
System



EasyOut
Drain System



NoSlip
Rubber Feet



PolarWall
Insulation



IceLock
Seal

POLARIS NORTHSTAR COOLERS CAN SURVIVE JUST ABOUT ANYTHING -
FROM EXTREME HEAT TO A NASTY TUMBLE OFF A VEHICLE.



99 LITER

- » GRAPHITE • 2883426
- » DESERT • 2883392



57 LITER

- » GRAPHITE • 2883425
- » DESERT • 2881259



28 LITER

- » GRAPHITE • 2883424
- » DESERT • 2881315



14 LITER

- » GRAPHITE • 2883968



19 LITER SOFTSIDE

- » GRAPHITE • 2883390

ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO

COOLER ACCESSORIES	99 LITER	57 LITER	28 LITER	DON'T FORGET THESE ACCESSORIES		
	2883648	2882185	2882438	 887 mL TUMBLERS » 887 mL • 2883394 » 591 mL • 2883393	 LOCK & RIDE QUICKSTRAP » 2882187 ALL COOLERS AND POLARIS GENERAL CARGO BOXES	 BOTTLE OPENER » 2882183 ALL COOLERS
DIVIDERS Doubles as cutting board	2883468 COMES WITH ONE DIVIDER 1 way to partition	2882184 COMES WITH TWO DIVIDERS 2 ways to partition	2882186 COMES WITH ONE DIVIDER 1 way to partition			
SEAT CUSHION	NOT AVAILABLE	2882179	2882507			
WHEELS	NEW 2883967	2882180	NOT AVAILABLE			

RIDECOMMAND

- **BUILT IN GPS WITH TOPOGRAPHY MAPS TO SEE YOUR LOCATION AND PLAN YOUR RIDE**
- **MEDIA PLAYER WITH BUILT IN AM/FM TUNER FOR ALL YOUR FAVORITE MUSIC**
- **GROUP RIDE FOR BUDDY TRACKING, TO SEE YOUR FRIENDS ON THE MAP, TRACK AND SHARE RIDE STATS ON THE DISPLAY OR RIDE COMMAND MOBILE APP**

REVOLUTIONIZING THE OFF-ROAD EXPERIENCE

RIDE COMMAND 7" DISPLAY

- 7" High Bright Touchscreen visible in all conditions
- Displays critical vehicle information for fuel level, coolant temp and battery voltage
- Media player w/ built in AM/FM tuner
- Enhanced Group Ride capability to track and share your ride
- Dedicated shortcut buttons for quick access to features
- Bluetooth® and USB smart phone connectivity
- Front camera support for better visibility on and off trail

» 2884072
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20

RIDE COMMAND MOUNT KIT

- Mount Ride Command seamlessly into the dash for perfect fit & finish
- Comes with wiring harnesses needed and accessory components
- Includes front camera

» 2884283
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '20

DOWNLOAD THE RIDE COMMAND MOBILE APP



AUDIO



PLUG AND PLAY



ELEMENT READY™



NO LOSS OF CARGO SPACE



BLUETOOTH® CAPABLE

An industry first. A true factory installed integrated off-road audio system. Rockford Fosgate® partnered with Polaris to purpose build the highest performing system specifically for the GENERAL® platform. Tuned and rider-centric to create a class leading audio experience that is second to none.



STAGE 1 AUDIO KIT

- PMX-P2 HEAD UNIT & FRONT COAXIAL SPEAKERS
 - 6.86 cm full color display with AM/FM/WB tuner, Pandora® Control and Bluetooth® Connectivity
 - **50 Watt** 16.51 cm front coaxial speakers with enclosures and grilles
- » 2884282
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



STAGE 4 UPGRADE

- REAR SPEAKERS, AMP & SUBWOOFER
 - Compatible with Stage 1 PMX-P2 Audio Kit
 - **50 Watt** 16.51 cm rear coaxial speakers with enclosures and grilles
 - **200 Watt** 16.51 cm subwoofer
 - **400 Watt** 4-channel full range amplifier
- » 2884544
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20



STAGE 4 RIDE COMMAND AUDIO KIT

- DASH SPEAKERS, REAR SPEAKERS, AMP & SUBWOOFER
 - **50 Watt** 16.51 cm front and rear coaxial speakers with enclosures and grilles
 - **200 Watt** 16.51 cm subwoofer
 - **400 Watt** 4-channel full range amplifier
- » 2884437
POLARIS GENERAL XP 1000/4 '20
POLARIS GENERAL 1000/4 '16-20
REQUIRES RIDE COMMAND 7" DISPLAY 2884072 & MOUNT KIT 2884283 (BOTH SOLD SEPARATELY)

BUILD YOUR SOUND

HEAD UNIT:		PMX-P2	RIDE COMMAND
AUDIO:		STAGE 1 AUDIO KIT	STAGE 4 RIDE COMMAND AUDIO KIT
MODEL FITMENT:		XP	
		DELUXE	
		PREMIUM	
		BASE	
		FACTORY INSTALLED STOCK AUDIO	
		STAGE 1 AUDIO KIT WITH PMX-P2 HEAD UNIT	
		STAGE 4 UPGRADE	
		REAR SPEAKERS, AMP + SUBWOOFER	
		2884544	
		STAGE 4 RIDE COMMAND AUDIO KIT INSTALLED	
		RIDE COMMAND WITH STAGE 4 RIDE COMMAND AUDIO KIT INSTALLED	
		RIDE COMMAND	
		2884072	
		MOUNT KIT	
		2884283	
		2020 MODELS	
		STAGE 4 RIDE COMMAND AUDIO KIT	
		DASH SPEAKER, REAR SPEAKER, AMP + SUBWOOFER	
		2884437	



POLARIS ENGINEERED™
ADVANTAGES

MOUNTS PERFECTLY
Designed for your Polaris Engineered
bumper, roof or other mounting point

MAX PERFORMANCE
Validated to work as hard as
your machine does

DOESN'T OVERTAX
Trust it to work when you
need it to



**ADVANCED
TECH**

RIGID® lights are driven by Aluminum PCB Smart Boards™, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac® UV protection polyester powdercoating.

**EXCLUSIVE
OPTICS**

RIGID® invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

**RUGGED
CONSTRUCTION**

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

**MASSIVELY
BRIGHT**

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.

LIGHT BAR TYPES



SR-SERIES PRO

Sleek, powerful, low-profile (under 5 cm tall).
Lights extreme distances with low energy usage.
Available in 25.4 cm & 81.3 cm



D-SERIES PRO

Compact to fit almost anywhere with
high output and low energy usage.
Available in Driving, Flood & Spot



DUAL-ROW LED LIGHT BARS

The most spread and farthest illumination
downrange. Easy to mount.
Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm



SINGLE-ROW LED LIGHT BARS


Powerful, compact, low-profile light bars
with sleek look.
Available in 27.9 cm, 83.8 cm & 101.6 cm



CUBE LED LIGHTS

Small size allows mounting in
strategic locations for added lighting.
Available in Flood & Spot


LIGHT BAR OPTIONS



**BUILD YOUR
VISION**

Consider the Optics, Angle & how you will use your vehicle to choose the right light or set of lights.

OPTICS LIGHT ANGLE	ACCENT	DRIVING (45°)	FLOOD (25°)	SPOT (10°)	COMBO (25°/10°)
DRIVING SPEED	All	Slow	Medium	Fast	Medium to fast
BEAM	Diffused glow	Extra-wide	Wide/Shorter	Concentrated/Long	Inner spot & outer flood
RECOMMENDED MOUNTING	Low/Wheel well	All points	Low &/or rear	High points	All points
TERRAIN & RIDING STYLE	Added style & personalization in any terrain	All riding & utility	Wide-open terrain or trails & utility	Trail & tight conditions	All riding & utility



ADD A HARNESS TO MOUNT YOUR LIGHTS

MODEL	LIGHT BAR SET-UPS		
	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES
2019-2020 ALL MODELS	POLARIS PULSE LED LIGHT BAR HARNESS 2883785	POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860	POLARIS PULSE LED LIGHT BAR HARNESS (x2) 2883785

ACCENT LIGHTING

ACCENT LIGHTS

POLARIS GENERAL XP 1000/4 "20
POLARIS GENERAL 1000/4 "16-20

COLOR	PN
RED (SET OF 4)	2880500
BLUE (SET OF 4)	2880506

⚠ No battery connection cables required on any model/model year POLARIS GENERAL 1000.

All RIGID® and Pro Armor lights are Polaris PULSE ready.

ACCESSORIES

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

COOLERS

RIDE COMMAND & AUDIO

LIGHTING

WHEELS & TIRES

WINCHES & PLOWES

PRO ARMOR

Each wheel and tire Pro Armor designs for off-road vehicles performs perfectly in the intended environment for its intended use. Developed, tested, and produced in partnership so you can tackle the terrain ahead with Polaris.

TRIPLE-BELTED SIDEWALLS

- Sidewalls are the most vulnerable puncture area of any off-road tire
- Pro Armor makes tires with extra protection exactly where it's needed most – the sidewall

8 OR 10-PLY RATED

- Pro Armor builds the toughest tires
- Higher ply ratings mean added protection

INNOVATION

DUAL DUROMETER LUGS (Crawler XG & Attack 2.0)

- Firm durometer rubber on base of lug for stability
- Soft durometer rubber on top of lug for sticky grip

DUAL COMPOUND TREAD (Dual-Threat)

- Firm durometer rubber on center of tread for long wear life
- Soft durometer rubber on shoulders of tread for superior grip

4,828+ km RATED

Pile on the kilometers with Pro Armor tires. Every tire is designed and constructed with longevity in mind. With ratings of 4,828 kilometers and beyond, you are assured long life and performance.

KNOW YOUR TIRES

DIMENSIONS	TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
28" x 9" R14	A deeper tread means more grip in all conditions	A lighter tire makes for improved vehicle performance	Indicates tire puncture-resistance	Increase your resistance to sidewall punctures	Tires with higher load ratings can handle more weight
TIRE HEIGHT TIRE WIDTH WHEEL DIAMETER					



TIRE: DUAL-THREAT WHEEL: BUCKLE ACCENT

KNOW YOUR TERRAIN



- Extra deep treads
- Self-cleaning lugs



- Tread patterns optimized for extreme traction
- Ideal for both hard pack and loose trail



- Industry leading anti-puncture side walls
- Purpose-built, long lasting tread patterns



- Flexible "grippy" tread
- Aggressive side bite

ROCK



- Flexible "grippy" tread
- Aggressive side bite

FRONT / REAR

PRO ARMOR CRAWLER XR

- Wanna race? This tire grips it all from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	28" x 10" R14 5415536	FRONT/ REAR	16mm	15 kg	8	3	517 kg

WHEEL SIZE

14"

XR

SINGLE DUROMETER

- Smaller lug height, added rigidity and lateral stability when cornering
- Unique lug design excels in hard-packed, fast terrain



FRONT / REAR

PRO ARMOR CRAWLER XG

- Big or small, these tires crawl them all
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	30" x 10" R14 5415616			17 kg			581 kg
15"	28" x 10" R15 5416346	FRONT/ REAR	20mm	15 kg	8	3	503 kg
15"	30" x 10" R15 5416397			18 kg			581 kg

WHEEL SIZE

14" 15"

WHAT CRAWLER ARE YOU?

XG

DUAL-DUROMETER

- Taller lug height
- Perfect balance between high-speed performance, durability and flex in order to grip slick rock

MUD



FRONT / REAR

PRO ARMOR ANARCHY

- Take on any mud pit with the mud master
- Ultra deep lugs for maximum mud traction
- Deep, evenly spaced out lugs help channel the muck out so you can keep going

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	29.5" x 9" R14 5415535	FRONT/ REAR	52 mm	18 kg	8	3	499 kg

SELF CLEANING AREAS



WHEEL SIZE

14"



BACKCOUNTRY/TRAIL

MUD



FRONT / REAR

NEW

PRO ARMOR MUD XC

- Designed for the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- 10-ply construction, means added protection in the toughest terrain

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	29" x 10" R14 5416946	FRONT/ REAR	18 kg			630 kg
14"	27" x 9" R14 5416947	FRONT	14 kg	10	3	531 kg
14"	27" x 11" R14 5416948	REAR	15 kg			599 kg



FRONT / REAR

PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight thread pattern for a quieter ride

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	28" x 10" R15 5416344	FRONT/ REAR	15 kg	10	3	503 kg
15"	30" x 10" R15 5416345		17 kg			560 kg



ATTACK 2.0 vs. ATTACK

TIGHTER TREAD PATTERN - Better traction in hard pack

DUAL-DUROMETER LUG - Increased grip & traction in rough terrain, smoother

10-PLY RATED - Increased durability

LARGER SIZE OFFERING IN 28" - More ground clearance & trail traction



FRONT / REAR

PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	26" x 9" R14 5415613	FRONT	13 kg	8	3	413 kg
14"	26" x 11" R14 5415614	REAR	15 kg			599 kg



FRONT / REAR

PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	26" x 9" R14 5416340	FRONT	12 kg			413 kg
14"	26" x 11" R14 5416341	REAR	14 kg	10	3	503 kg
14"	29" x 9" R14 5416342	FRONT	14 kg			503 kg
14"	29" x 11" R14 5416343	REAR	16 kg			599 kg



DUAL-COMPOUND = MORE GRIP + LONGER LIFE

Firmer Durometer Rubber = Longer Life

Softer Durometer Rubber = More Grip

UTILITY



- Industry leading anti-puncture side walls
- Purpose-built, long lasting tread patterns

PICKING THE RIGHT UTILITY TIRE

	HARVESTER	PRESERVE™	XD-K
Rated Long life and performance	X	X	
Heavy Duty Tread Aggressive tread pattern for all day work on farms or ranches	X		X
Turf-Friendly Easy on grass & farm yard	X	X	
Aramid Fiber Belt 5x times stronger than steel and lighter			X
Wide Range of Sizes For exactly how you want to use your machine	28", 27", 26"	27", 26"	26"

FRONT / REAR

FRONT / REAR

FRONT / REAR



PRO ARMOR HARVESTER

- 26" x 8" R12 • FRONT • 5416396
- 26" x 10" R12 • REAR • 5415966
- 28" x 10" R14 • FRONT/REAR • 5416347
- 27" x 10" R14 • FRONT/REAR • 5415965

		TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	FRONT		11 kg			388 kg
12"	REAR		15 kg	10	3	615 kg
14"	FRONT/ REAR	16mm	15 kg			599 kg
14"	FRONT/ REAR		15 kg			630 kg



PRO ARMOR PRESERVE

- 26" x 8" R12 • FRONT • 5416403
- 26" x 10" R12 • REAR • 5416402
- 27" x 10" R14 • FRONT/REAR • 5416348

		TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	FRONT		11 kg			388 kg
12"	REAR	16mm	13 kg	10	3	599 kg
14"	FRONT/ REAR		13 kg			599 kg



PRO ARMOR XD-K

- 26" x 9" R12 • FRONT • 5415756
- 26" x 11" R12 • REAR • 5415757

		TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	FRONT		13 kg	10	3/1 Aramid	388 kg
12"	REAR	31.7mm	15 kg			499 kg

WHEELS



A AMPLIFY				
FRONT	WEIGHT:	5.9 kg	LOAD RATING:	408 kg
REAR	WEIGHT:	6.4 kg	LOAD RATING:	590 kg
ACCENT: FRONT 14" x 7" 1522956-266				
REAR 14" x 8" 1522957-266				
MATTE BLACK: FRONT 14" x 7" 1522956-458				
REAR 14" x 8" 1522957-458				

B BUCKLE				
FRONT	WEIGHT:	5.8 kg	LOAD RATING:	408 kg
REAR	WEIGHT:	6.1 kg	LOAD RATING:	590 kg
ACCENT: FRONT 14" x 7" 1522544-266				
REAR 14" x 8" 1522545-266				
MATTE BLACK: FRONT 14" x 7" 1522544-458				
REAR 14" x 8" 1522545-458				

C COMBAT				
(BEADLOCK RINGS INCLUDED)				
FRONT/REAR	WEIGHT:	7.3 kg	LOAD RATING:	729 kg
OFFSET: +38				
ACCENT: FRONT/REAR 14" x 7" 1523284				
MATTE BLACK: FRONT/REAR 14" x 7" 1523283				

14" FORGED BEADLOCK RINGS	
Only used on REBLR	
	PART #
Voodoo Blue	1522244-619
Machined	1522244-266
White	1522244-133
Indy Red	1522244-293
Orange Crush	1522244-589
Matte Black - Replacement	1523146-458
Only used on HALO	


15" FORGED BEADLOCK RINGS	
Only used on HEXLR	
	PART #
Matte Black - Replacement	1523147-458

D REBLR				
(REQUIRES BEADLOCK RINGS)				
FRONT	WEIGHT:	5.9 kg	LOAD RATING:	408 kg
REAR	WEIGHT:	6.6 kg	LOAD RATING:	590 kg
OFFSET: +4				
ACCENT: FRONT 14" x 7" 1522238-458				
REAR 14" x 8" 1522239-458				

E SHACKLE				
FRONT	WEIGHT:	5.9 kg	LOAD RATING:	408 kg
REAR	WEIGHT:	6.4 kg	LOAD RATING:	590 kg
OFFSET: -9				
ACCENT: FRONT 14" x 7" 1522546-266				
REAR 14" x 8" 1522547-266				
MATTE BLACK: FRONT 14" x 7" 1522546-458				
REAR 14" x 8" 1522547-458				

F SIXR				
FRONT	WEIGHT:	4.8 kg	LOAD RATING:	408 kg
REAR	WEIGHT:	5.7 kg	LOAD RATING:	590 kg
OFFSET: +4				
MATTE BLACK: FRONT 14" x 7" 1521507-521				
REAR 14" x 8" 1521508-521				
LUSTER: FRONT 14" x 7" 1521507-410				
REAR 14" x 8" 1521508-410				

G SPLIT				
FRONT	WEIGHT:	4.3 kg	LOAD RATING:	408 kg
REAR	WEIGHT:	4.9 kg	LOAD RATING:	590 kg
OFFSET: +4				
MATTE BLACK: FRONT 14" x 6" 1522542-458				
REAR 14" x 8" 1522543-458				



H CYCLONE				
FRONT/REAR	WEIGHT:	7.8 kg	LOAD RATING:	590 kg
OFFSET: +4				
ACCENT: FRONT/REAR 15" x 7" 1523184-266				
MATTE BLACK: FRONT/REAR 15" x 7" 1523184-458				

I HALO				
(BEADLOCK RINGS INCLUDED)				
FRONT/REAR	WEIGHT:	7.7 kg	LOAD RATING:	726 kg
OFFSET: +38				
ACCENT: FRONT/REAR 15" x 7" 1523282				
MATTE BLACK: FRONT/REAR 15" x 7" 1523286				

J WYDE				
FRONT/REAR	WEIGHT:	6.1 kg	LOAD RATING:	590 kg
OFFSET: +55				
ACCENT: FRONT/REAR 15" x 7" 1522550-266				
MATTE BLACK: FRONT/REAR 15" x 7" 1522550-458				

K FLARE				
FRONT/REAR	WEIGHT:	8.1 kg	LOAD RATING:	590 kg
OFFSET: +4				
ACCENT: FRONT/REAR 15" x 7" 1523102-266				
MATTE BLACK: FRONT/REAR 15" x 7" 1523102-458				

L HEXLR				
(REQUIRES BEADLOCK RINGS)				
FRONT/REAR	WEIGHT:	7.3 kg	LOAD RATING:	590 kg
OFFSET: +38				
ACCENT: FRONT/REAR 15" x 7" 1522435-458				

LUG NUTS REQUIRED

KNOW YOUR TERRAIN



- Extra deep treads
- Self-cleaning lugs



- Tread patterns optimized for extreme traction
- Ideal for both hard pack and loose trail



- Industry leading anti-puncture side walls
- Purpose-built, long lasting tread patterns



- Flexible "grippy" tread
- Aggressive side bite

WHEEL & TIRE SETS

14"	TRAIL	MUD	UTILITY ROCK			
	DUAL-THREAT 29" 4828 km	MUD XC 29" 4828 km	ANARCHY 29.5" 4828 km	PRO ARMOR HARVESTER 28" 8047 km	CRAWLER XG 30" 4828 km	CRAWLER XR 28" 4828 km
AMPLIFY Accent	2883146	2884265	2882402	2883225	2882396	2882394
AMPLIFY Matte Black	2883147	2884266	2882403	2883226	2882397	2882395
BUCKLE Accent	2883148	2884260	2881341	2883220	2881560	2881343
BUCKLE Matte Black	2883149	2884261	2881342	2883221	2881561	2881344
COMBAT Accent	2883219				2883211	2883213
COMBAT Matte Black	2883218				2883210	2883212
REBLR Matte Black			2881385			2881386
SHACKLE Accent	2883150	2884263	2881353	2883222	2881558	2881355
SHACKLE Matte Black	2883151	2884264	2881354	2883223	2881559	2881356
SIXR Luster					2881564	2881371
SIXR Matte Black	2883152	2884262	2881369	2883224	2881563	2881372
SPLIT Matte Black						

REPLACEMENT CAPS

POLARIS

LUSTER	AMPLIFY, BUCKLE, COMBAT, CYCLONE, FLARE, HALO, REBLR, SHACKLE, SIXR	1521509-410
MATTE BLACK		1521509-521
LUSTER		1522243-410
MATTE BLACK	HEXLR	1522243-458

PRO ARMOR

LUSTER	AMPLIFY, BUCKLE, COMBAT, CYCLONE, FLARE, HALO, REBLR, SHACKLE, SIXR	5453209-410
MATTE BLACK		5453209-458
MATTE BLACK	WYDE	1523063-458
LUSTER		1523015-410
MATTE BLACK	THRASHER, HEXLR	1523015-458

12mm x 1.5 SPLINED LUG NUTS

LUG NUTS REQUIRED

16 SPLINED LUG NUTS WITH WIDENED ADAPTER	2879332
--	---------

2 WAYS TO PURCHASE

INDIVIDUAL WHEELS & TIRES
- OR -
COMPLETE SETS AS LISTED
Exclusively at Polaris Authorized Dealers



COLBY VALVE SHORT
ULTIMATE VALVE - 2 PACK

» 2883293



COLBY COMBO VALVE
KIT (16 PACK)

• Includes 8 ultimate valves and 8 emergency valves

» 2883294



TRAIL

ROCK

	ATTACK 2.0 28" 4828 km	ATTACK 2.0 30" 4828 km	CRAWLER XG 28" 4828 km	CRAWLER XG 30" 4828 km
CYCLONE Accent	2883160	2883169	2883188	2883179
CYCLONE Matte Black	2883159	2883168	2883187	2883178
FLARE Accent	2883158	2883167	2883186	2883177
FLARE Matte Black	2883157	2883166	2883185	2883176
HALO Accent	2883162	2883171	2883190	2883181
HALO Matte Black	2883161	2883170	2883189	2883180
HEXLR Accent	2883154	2883163	2883182	2883173
WYDE Accent	2883156	2883165	2883184	2883175
WYDE Matte Black	2883155	2883164	2883183	2883174

LUG NUTS REQUIRED

WINCHES

TESTED **1,200+**
PULLS AT MAX LOAD

**OPERATES FULLY
SUBMERGED**

BUILT TO WITHSTAND
-29° C TEMPERATURES

**MILITARY
TESTED & APPROVED**



- FEATURES**
- FAST WIRE CONNECTION TO POLARIS PULSE SYSTEM**
 - HOOK WITH STRAP**
 - CUT STEEL GEARS & SEALED DRIVETRAIN**
 - SEALED PERMANENT MAGNET MOTOR**

INDUSTRY 1ST TECHNOLOGY

RAPID ROPE RECOVERY 5x FASTER

- Set Dial to FREE SPOOL (N) to attach Winch Hook
- Set Dial to PULL (L) for Winch Mode
- Set Dial to ROPE RECOVERY (H) for 5x Faster Rope Recovery

NOT AVAILABLE

AUTO STOP TECHNOLOGY

Winch stops when fairlead detects collar

Stops winch at end of pull to prevent driveline stress and plow overlifting

ADD AUTO STOP UPGRADE

2881288

SYNTHETIC ROPE REQUIRED

PREMIUM SYNTHETIC ROPE

- Lightweight & Easy to Handle
- Superior Flexibility & Strength
- 15 m long

ADD SYNTHETIC ROPE

2879187

WIRELESS REMOTE

15 m range wireless remote control with unique code for interference-free operation

ADD WIRELESS REMOTE


2881287

MODEL	2041 kg	2041 kg
POLARIS GENERAL XP 1000/4 '20	2883861	2883860
POLARIS GENERAL 1000/4 '19-20		

PLOWS & TRACKS

GLACIER[®] PRO HD PLOW SYSTEM


» 183 cm or 168 cm Blades » Choice of poly or steel » Manual angle system standard



CREATE YOUR PLOW SYSTEM	STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP 5 SELECT ACCESSORIES
MODELS	MOUNT	FRAME	WINCH	BLADES	ACCESSORIES
POLARIS GENERAL XP 1000/4 '20	2881763	2880260 TOP SELLER	Polaris PRO HD 2041 kg Winch 2883861 <small>POLARIS GENERAL XP 1000/4 '20 POLARIS GENERAL 1000/4 '19</small>	183 cm Steel 2880270	183 cm Blade Snow Deflector 2858541 183 cm HD Wear Bar 2879875 183 cm Wear Bar 2204976 168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 Skid Shoe 2205071 Shear Pin 2205527 Replacement T Shear Pin 2204829 Extension for Tracks 2880267 NEW Heavy Duty Deflector 2884160
POLARIS GENERAL 1000/4 '16-20			Polaris PRO HD 2041 kg Winch 2882239 <small>POLARIS GENERAL 1000/4 '16-18</small> NEW Hydraulic Plow Angle 2884127 <small>POLARIS GENERAL 1000/4 '16-18</small> NEW Hydraulic Plow Controller 2883391 <small>POLARIS GENERAL 1000/4 '16-18</small>	168 cm Poly 2880269 168 cm Steel 2880268	

GLACIER[®] HD PLOW SYSTEM

» 168 cm Blades » Choice of poly or steel » Manual angle system standard



CREATE YOUR PLOW SYSTEM	STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP 5 SELECT ACCESSORIES
MODELS	MOUNT	FRAME	WINCHES	BLADES	ACCESSORIES
POLARIS GENERAL XP 1000/4 '20	2883256	2882927	Polaris HD 2041 kg Winch 2883860 <small>POLARIS GENERAL XP 1000/4 '20 POLARIS GENERAL 1000/4 '19</small>	168 cm Poly 2880269	168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 Skid Shoe 2205071 Shear Pin 2205527 Replacement T Shear Pin 2204829
POLARIS GENERAL 1000/4 '16-20			Polaris HD 2041 kg Winch 2881099 <small>POLARIS GENERAL 1000/4 '16-18</small> Polaris HD 1588 kg Winch 2881098 <small>POLARIS GENERAL 1000/4 '16-18</small>	168 cm Steel 2880268	



- PROSPECTOR PRO[®] TRACK MOUNTS**
- Install in place of tires and wheels. Tracks sold separately.
 - » 2880649
POLARIS GENERAL 1000/4 '16-20
- PROSPECTOR PRO[®] TRACK**
- » 2880758
POLARIS GENERAL 1000/4 '16-20
If using Glacier Pro Plow System, Track Plow Extension is required (2880267)



POLARIS

ENGINEERED
PARTS & LUBRICANTS

FOR THE LIFE OF YOUR RIDE ONLY THE BEST WILL DO

To create the best oil for any terrain, we invest in rigorous testing to ensure our oil delivers the consistency and performance you demand. The results are Polaris Engineered Lubricants that are tested and perfected to deliver excellent total engine protection for the life of your ride.

WHAT COUNTS IN OIL TESTING:

1. Does it protect the engine at high temperatures?
2. Does it keep the engine free from carbon and buildup?
3. Does the oil hold its viscosity over time?

ENGINE CHECKPOINTS

When evaluating an engine oil and its ability to protect and preserve the engine's power output and lifespan, Polaris engineers focus on key areas within the engine, some of the most critical ones include:

RING LANDS: Poor oxidative performance can lead to carbon and varnish buildup, which results in poor ring seal and loss of power, combustion blow by and fuel dilution of the oil.

PISTON RINGS: During the combustion process, extreme pressures are placed on the top ring, forcing it outward toward the cylinder wall, sealing the combustion chamber. With so much force applied, poor oil film strength between the top ring and the cylinder wall can lead to cylinder wear and loss of power.

ROD BEARINGS: Engine bearings ride on an extremely thin hydrodynamic film of oil. Poor oil film strength or using an oil with a thinner viscosity, can lead to premature bearing wear or even engine failure. Using an oil with high film strength and a strong viscosity, like PS-4 full synthetic, will extend the service life of your engine.

CAMSHAFT: Direct Acting Overhead Camshafts are used on many Polaris Prostar Engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft configurations. These forces are so great that inferior oil can break down and be forced out of the contact area leading to increased wear. PS-4 full synthetic additives are specifically designed to provide wear protection against this.

SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants—critical to engine performance—are the right formula for your specific engine.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

PS-4 FULL-SYNTHETIC OIL

PS-4 is optimal for ambient operating temperatures of -40° C to 38° C

OUR FORMULATION

- Full-synthetic formula with wide, 5W-50 viscosity range
- Extreme cold weather flow and startup protection
- Maximum rust and corrosion protection
- Proprietary anti-wear additive system

YOUR ADVANTAGE

- All-weather engine protection
- Easy starting in all conditions
- Internal engine protection from extreme temperature fluctuations and periods of non-use or storage
- Reduced friction, protects cams, pistons, bearing and valvetrain components from wear

PS-4 EXTREME-DUTY FULL-SYNTHETIC OIL

PS-4 Extreme Duty is optimal for ambient operating temperatures of -18° C to 54° C

OUR FORMULATION

- Extreme high-temperature engine protection
- Full-synthetic formula with strong, 10W-50 Viscosity Range
- Protects against rust and corrosion of internal engine parts during periods of non-use or storage

YOUR ADVANTAGE

- High-strength film protection withstands extreme heat, stress and sustained high RPM conditions
- Extremely shear stable, maintains viscosity under heat and stress
- Protects engine from moisture that can build up inside the engine as a result of extreme temperature fluctuations

OIL CHANGE KITS (OIL & FILTER)

These convenient kits include everything you need to change your oil. The correct filter and oil volume for your vehicle.

PS-4		PS-4 <small>EXTREME DUTY</small>
PART NUMBER	VEHICLE FITMENT	PART NUMBER
2202166	RANGER/RZR/SPORTSMAN 570, TWIN 600, TWIN 700, TWIN 800	2879004
2879323	RANGER, POLARIS GENERAL, RZR 900/1000, RS1	2879324
2877473	RANGER/ SPORTSMAN 300-500, SPORTSMAN/SCRAMBLER 500/850/1000	2878924
2881696	RZR TURBO	2881697

» .95L 2876244 » 3.8L 2876245 » 60.6L 2876247 » 208L 2876246 » 1249L 2878814

» .95L 2878920 » 3.8L 2878919 » 60.6L 2879003 » 208L 2879002 » 1249L Tote 2879001

OIL DEVELOPMENT

POLARIS INVESTS IN EACH OIL AT AND ABOVE THESE LEVELS.

12 DEDICATED
TEAM MEMBERS

FOCUSED ON
POLARIS OIL

18+
MONTHS

DEVELOPMENT
& TESTING

75,000+
HOURS

DYNO TESTING

64,374
KILOMETERS

FIELD TESTING

MAINTENANCE FLUIDS

OIL

Maximum protection for your 4-cycle engine. Exclusive anti-wear additives protect your engine and extend the life of engine components.

Change every 100 hours, 6 months or 800 km.

AGL

Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique viscosity range allows instant flow and film protection in extreme cold or high heat environments.

Change every 100 hours, 12 months or 1600 km.

- » .95 L • 2878068
- » 3.8 L • 2878069
- » 9.5 L • 2878070
- » 208 L • 2879594

SUSPENSION/ U-JOINT GREASE

A heavy-duty lubricant formulated with molybdenum disulfide to accept the high shock applications of Polaris ATV shaft drive universal joints.

Add every 50 hours, 3 months or 800 km.

- » 89 mL • 2871515
- » 414 mL • 2871551

DOT 4 BRAKE FLUID

A high-quality brake fluid designed for use in Polaris hydraulic brakes. Superior high-temp characteristics plus anti-corrosive additives extend the life of brake system components and provide consistent, positive braking.

Change every 200 hours, 3200 km or every 2 years.

- » 355 mL • 2872189

ANTI-FREEZE

Organic acid technologies to prevent corrosion on metal components, eliminate scaling, and maximize cooling system performance.

Change every 60 months.

- » .95 L • 2880514
- » 3.8 L • 2880513
- » 208 L • 2880512

DEMAND DRIVE FLUID

Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and promote positive engagement.

Change every 100 hours or yearly.

- » .95 L • 2877922
- » 9.5 L • 2877923

LUBRICANT ACCESSORIES

GREASE GUN KIT

» 2871312

FITS 2871322 ALL-SEASON AND 2871322 U-JOINT 88.7 mL

2D BATTERY-OPERATED SIPHON PUMP

- Liquid transfer pumps 5-6 quarts/min suctioning power
- Use with gas, water, oil, and other non-corrosive liquids

» 2830513

FLEX SPOUT

- Convenient easy pour flex spout fits all Polaris quart, gallon, and 9.5 L bottles

» 2871285

PUMP

- Attaches to 3.8- or 9.5-liter bottle for easy, no-drip dispensing

» 2870465

ORV MAINTENANCE KIT

- Everything you need, in the correct fluid volumes, to maintain your drive train, and keep your vehicle in top operating condition

- Includes: 1.4 L AGL, .95 L Angle Drive Fluid, 1 pint Demand Drive Fluid, 38 mL tube of All-Season Grease

» 2880425



PREMIUM GAS SHOCK OIL

- » .95 L • 2870995
 - » 9.5 L • 2872279
- FOX® REBUILDABLE SHOCKS



10WT GAS SHOCK OIL

- » .95 L • 2874124
- WALKER EVANS® REBUILDABLE SHOCKS



CHAIN LUBRICANT

- » 473 mL AEROSOL 2872348



ALL-SEASON GREASE TUBE

- » 89 mL • 2871322
- » 414 mL • 2871423



ANGLE DRIVE FLUID

- » .95 L • 2876160
 - » 9.5 L • 2872276
- SPORTSMAN, RANGER, RZR ANGLE DRIVE GEAR CASE SYSTEMS



CARBON CLEAN

Prevents ethanol corrosion, stabilizes fuel, and cleans fuel injectors, piston ring lands, intake systems, and combustions chambers. Helps maintain peak HP and improves fuel economy.

- » 355 mL • 2881413



ADVANCED FUEL TREATMENT

Prevents ethanol corrosion and stabilizes fuel for up to 2 years. Dual-antioxidant formula protects against gum and varnish for easy starting.

- » 355 mL • 2881416
- » 9.5 L • 2881417

TIRE SEALANT

HOW IT WORKS

Tire sealant remains liquefied inside your tire until a leak develops in the tire or wheel.



Once a leak occurs, the tire sealant rushes out of the tire and quickly creates a permanent solid plug.

The plug maintains the pressure of the tire so you can continue your ride.



PREMIUM TIRE SEALANT

- Instantly seals and repairs rim, bead leaks, and punctures up to 0.64 cm on standard tires, and 1.9 cm on heavy ply tires
- Helps maintain air pressure for the life of the tire
- Helps seal the tire bead against the wheel
- 100% water soluble for easy cleanup
- Will not rust, corrode, or pit wheels
- Creates permanent repair
- Remains fluid and effective in temperatures down to -43° C
- Easily installed through existing tire valve stem with valve core removed

- » 946 mL • 2830484
- » 3.8 LITER • 2830485
- » 19 LITER • 2830486

- » 19 LITER PUMP • 2830487
- » 208 LITER • 2830489
- » 1041 LITER • 2830488

FOR THE LIFE OF YOUR RIDE

MAINTENANCE TIP

BREAK-IN PERIOD

The break-in period for your new GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine. Perform the listed procedures carefully.

NOTICE: Excessive heat build-up during the first three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use.

AIR FILTERS

Critical to engine performance and reliability. A clogged air filter can restrict air flow to the engine leading to reduced engine performance. Dirt and debris ingestion can damage the engine leading to reduced engine life or catastrophic failure. Polaris recommends changing the vehicle's air filter at the specified intervals outlined in the owner's manual, which may be shorter if your vehicle is subject to severe conditions.

BRAKE PADS

Check your brakes if you are close to the recommended service interval, hear grinding when applying the brakes, your vehicle is taking longer to stop or if you have to apply more pressure to your pedal to engage the brakes. Check the brake discs for signs of cracks, excessive corrosion or warping.

If the brake pads are contaminated with oils or grease (petroleum products), brake pads have to be discarded and replaced.

Discs need to be cleaned with brake cleaner or alcohol based cleaner only.

HALF SHAFT

Extreme elements can contribute to axle failure when grease escapes the joint. This usually occurs if the CV boot becomes compromised. Full replacement or part specific available.

POLARIS ENGINEERS PARTS THAT PUSH THE LIMITS WITHOUT SACRIFICING STRENGTH AND DURABILITY.

We build our products so anyone with the right tools can maintain their vehicle from their own garage - and get them back on the trails where they belong.

DRIVE BELTS

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

BREAK-IN PERIOD

- Use lower gear (if available) while varying speeds and avoiding wide open throttle for
- If no low gear is available, vary at moderate speeds while avoiding wide open throttle for

OUR INVESTMENT

- 32,187 km of field testing
- Thousands of dyno hours
- 18+ months of development (3,000+ design hours) per belt
- 1200+ vehicle validation hours
- Collaboration with powertrain & clutch engineers

YOUR ADVANTAGE

- No clutch recalibration
- Less wear & tear due to heat
- Ensure maximum vehicle performance
- More time riding, less time wrenching
- Produced in collaboration with powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

BATTERIES

Never leave a battery unattended during the storage season. To ensure your battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDER®. Be sure to check for corrosion from the terminals to the ends of the cables.

OIL FILTERS

Change oil filters with every oil change to provide the best protection for your engine. Superior engine protection keeps your engine operating at peak performance. Be sure to follow the suggested service intervals for oil/oil filter changes.

MAINTENANCE SCHEDULE

25 HRS/400 km

BREAK-IN MAINTENANCE

ENGINE OIL:
CHANGE

GENERAL LUBRICATION:
ALL FITTINGS, PIVOTS, CABLES, ETC.

AIR FILTER:
INSPECT & CLEAN
REPLACE AS NEEDED

EXHAUST SYSTEM:
INSPECT & CLEAN
INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS
INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

50 HRS/800 km

6 MONTHS

EXHAUST SYSTEM:
INSPECT & CLEAN
INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS
INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

GENERAL LUBRICATION:
ALL FITTINGS, PIVOTS, CABLES, ETC.

DRIVE BELT:
INSPECT & ADJUST
REPLACE AS NEEDED

100 HRS/1600 km

12 MONTHS

ENGINE OIL:
CHANGE

DRIVE BELT:
INSPECT & ADJUST
REPLACE AS NEEDED

TRANSMISSION FLUID:
CHANGE

EXHAUST SYSTEM:
INSPECT & CLEAN
INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS
INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

150 HRS/2400 km

18 MONTHS

ENGINE OIL:
CHANGE

BATTERY:
TEST, CLEAN, &
CHECK FLUID LEVEL
REPLACE AS NEEDED

DRIVE BELT:
INSPECT & ADJUST
REPLACE AS NEEDED

TIRES:
INSPECT CONDITION & PRESSURE

EXHAUST SYSTEM:
INSPECT & CLEAN
INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS
INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

200 HRS/3200 km

24 MONTHS

ENGINE OIL:
CHANGE

BRAKE PADS & FLUID:
INSPECT & CLEAN
REPLACE AS NEEDED

SPARK PLUGS:
INSPECT
REPLACE AS NEEDED

EXHAUST SYSTEM:
INSPECT & CLEAN
INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS
INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

350 HRS/4020 km

30 MONTHS

ENGINE OIL:
CHANGE

BATTERY:
TEST, CLEAN, &
CHECK FLUID LEVEL
REPLACE AS NEEDED

DRIVE BELT:
INSPECT & ADJUST
REPLACE AS NEEDED

GENERAL LUBRICATION:
ALL FITTINGS, PIVOTS, CABLES, ETC.

EXHAUST SYSTEM:
INSPECT & CLEAN
INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS
INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

500 HRS/8045 km

36 MONTHS

ENGINE OIL:
CHANGE

AIR FILTER:
INSPECT, CLEAN
REPLACE AS NEEDED

COOLANT:
CHECK LEVEL
REPLACE EVERY 2 YEARS


GEARCASES:
CHECK OIL LEVEL

EXHAUST SYSTEM:
INSPECT & CLEAN
INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS
INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

CHECK YOUR OWNER'S MANUAL FOR ADDITIONAL RECOMMENDED SERVICE ITEMS AND VEHICLE-SPECIFIC TIMING

HD HEAVY DUTY PARTS

All Polaris parts are developed and tested to help you get the most out of your ride. Now, we're taking the passion of our riders, workers, and outdoor enthusiasts to the next level with HD Parts. These heavy-duty parts are engineered for riders who want greater durability and enhanced performance. HD Parts are designed and tested to handle greater wear and tear under all weather conditions. This means longer ride times with less service interruptions and related costs.




DUST




MUD




EXTREME COLD
DOWN TO -40° C



EXTREME HEAT
UP TO 54° C



HEAVY PAYLOADS



EXTENDED LIFE

SUSPENSION BOOTS*

- Thicker, stronger boot material better withstands cuts and tears
- Prevents the intrusion of water and contaminants, increasing joint life
- More resistant to cracking due to aging

BRAKE PADS*

- Longer wear life
- Improved braking in wet & muddy conditions

WHEEL BEARINGS*

- Utilizes a triple lip seal for improved protection against mud and debris
- Longer life between service and replacement
- Specifically designed for Polaris vehicles

TIRES*

- Increased tread life
- Material and design for enhanced puncture resistance

LUBRICANTS*

- High-temperature engine protection
- Increased rust and corrosion protection
- Reduced chance of thermal breakdown in high-temp environments

BATTERIES*

Improved starting in cold/poor conditions means increased performance of accessories and longer vehicle operation.

- **Larger Capacity**
Measured in Ah (Ampere Hours)
HD batteries store more energy
- **Higher Output**
Measured in CCA (Cold Cranking Amps)
HD batteries deliver more power when starting and power more auxiliary items

*Claims made based off testing and performance of Polaris HD Parts against standard OEM parts made by Polaris and competitor brands under normal use.

For more information regarding Polaris HD parts including vehicle compatibility, installation, and maintenance, please contact your authorized Polaris ORV dealer (Ranger®, ATV, RZR®).

SERVICE PARTS

Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.

OVER
100,000
PARTS
AVAILABLE!



FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



POLARIS ENGINEERED DRIVE BELTS

TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

– Amery Kuhl, Polaris CVT System Engineer

OUR INVESTMENT

- 32,187 km of field testing
- Thousands of dyno hours
- 18+ months of development (3,000+ design hours) per belt
- 1200+ vehicle validation hours
- Collaboration with powertrain & clutch engineers

YOUR ADVANTAGE


- No clutch recalibration
- Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- More time out riding, less time wrenching





OUR INVESTMENTS ENSURE POLARIS BELTS
OUTPERFORM YOUR EXPECTATIONS.

BatteryMINDer®

ENSURE YOUR RIDE IS READY WHEN YOU ARE.

- Add years of capacity, power and range to new and older batteries, regardless of type or brand
- Recover older or weak batteries that would normally need to be replaced
- Charge and maintain extra backup batteries as well as those in your vehicle
- Automatic turn-on, sleeps while keeping your batteries at full charge
- Easy push-button selector to change battery type or time



	2012 AGM 2-AMP	2012 LEAD ACID 2 AMP	1510 1.5 AMP	1.5 AMP CONVERTIBLE
PART NUMBER	2830438	2830531	2830404	2830511
VOLTAGE	12 V	12 V	12 V	12 V
CHARGING CURRENT	2AMP	2AMP	1.5AMP	1.5AMP
OVERCHARGE PROTECTION	Yes			
BATTERIES MAINTAINED	6 at one time		4 at one time	
BATTERY COMPATIBILITY	12 V Sealed AGM Lead-Acid	12 V Flooded (filler cap) and Sealed Maintenance-Free Batteries		
COMES WITH	<ul style="list-style-type: none"> Non-fused battery clip cord set with Quick Connector 	<ul style="list-style-type: none"> BC-2410: 61 cm Non-fused battery clip cord set with Quick Connector RTA-2415: 61 cm Fused ring terminal cord set with Quick Connector ATS-1: Ambient Temperature Sensor 	<ul style="list-style-type: none"> Ambient temperature sensor (installed) 3.7 m power cord Battery clip cord set with Quick Connector Optional permanent mounting tab 	<ul style="list-style-type: none"> Auto-temp compensation sensor (installed) Optional permanent mounting brackets & screws Battery clips (fully-insulated, aircraft grade, 15A replaceable fuse) Ring terminal assembly with 15A replaceable fuse
KEY FEATURES	Designed for high-performance specialty AGM sealed batteries	Diagnoses battery's condition - can predict failing batteries	Easy to use, economical	Convertible on-vehicle or bench top use

BATTERY MAINTENANCE TIPS

Extend your battery life with a BatteryMINDER® and these tips.

1. Store batteries in a cool, dry location.
2. Check that the battery connections are tight. Cables should not be able to be rotated or shifted by hand.
3. If your battery has a drain tube, make sure it is free of clogs.
4. Clean your battery - use a soft brush to scrub the top of the battery. Use baking soda to remove grease.
5. Connect a BatteryMINDER® after using your vehicle even if the vehicle is in regular use.

LIFT IT SECURELY LIFT IT SAFELY



POLARIS VEHICLE LIFT

- Get fast, easy access to the underside of your vehicle
- Manual and pneumatic operation available
- Raises vehicle up to 82 cm to make repairs and maintenance faster and easier

» 544 kg • 2830424

LIFT ATTACHMENTS

- Add the appropriate attachment to use your lift for all your off-road vehicles

» ATV/POLARIS ACE • 2830427
» SNOWMOBILE • 2830426



POLARIS FLEX JUMPSTARTER

- 12,000 mAh capacity. Two 5V/2.1A USB outputs, 200-lumen flashlight, and a digital battery life monitor. Includes storage case, smart jumper cables, car charger, wall charger, and user guide.
- Jumpstart any engine up to 6.4L. The Polaris Flex Jumpstarter is small enough to be stored in your glovebox and holds its charge so you can count on it when it's needed.

» 2830495

POLARIS X3 CREEPER

- Three positions: flat, 45-degree angle or seated work stool
- Helps you perform any repair with ease
- Stay dry and warm away from cold, wet cement floors
- Easily stores away when not in use

» BLACK • 2830429

BatteryMINDER ACCESSORIES



BatteryMINDER 3.7 m CABLE

- Made with heavy-duty 16 gauge black zip cord featuring automotive SAE bullet connectors

» 2830410



BatteryMINDER VPP-12:12/24 VOLT VEHICLE POWER PLUG

- Allows easy connection to vehicle's battery through lighter or 12/24V power port with replaceable 15 amp fuse.

» 2830518



BatteryMINDER SPLITTER

- Connect two batteries simultaneously for easy battery maintenance
- Cap includes a set of ring terminals

» 2830409



BatteryMINDER RING TERMINAL

- Features 61 cm long 18-gauge wire
- Plug has standard .8 cm negative and .95 cm positive terminals
- Replaceable 15 amp in-line fuse for circuit protection

» 2830437



BatteryMINDER EZ CONNECT

- Allows for quick and easy connecting and disconnecting of your BatteryMINDER
- Includes a set of ring terminals

» 2830411

SHOP ACCESSORIES



POLARIS MAGNETIC PARTS TRAY

» SILVER • 2830432



POLARIS 8.4 cm TELESCOPIC MAGNET

» BLACK • 2830435



POLARIS 30.5 cm HI-TORQUE RATCHETING DRIVER

» BLACK / BLUE • 2830434



POLARIS LED POCKET FLASHLIGHT

» BLACK • 2830436

CV BOOT REPAIR KIT

- A quick trail side fix to increase trail time
- The flexible and durable boot material expands over a cone tool for CV boot repairs, without disassembling CV axles
- Universal fit – works as a temporary fix for most powersports axles
- All components fit inside the cone, and a cover is provided for compact durable storage
- Easily fits in a cargo box, attached to the roll cage, in the glovebox, or many other storage locations



Items shown are contained inside cone

FIX ON THE GO | TEMPORARY COVERAGE

UTV CV BOOT REPAIR KIT

Kit includes the following items:

- (1) Expandable XL CV Boot
- (1) Reusable Cone Tool
- (2) CV Boot Clamps
- (1) Tube of Silicone Lube
- (1) Grease Packet
- (1) Cone Cover

» 2830526


UTV TRAIL BOOT ONLY

» 2830527


ATV

- » CV REPAIR KIT 2830528
- » TRAIL BOOT ONLY 2830529


HOW TO INSTALL




Remove wheel and axle nut.




Remove brake caliper, hub, tie rod, & upper & lower ball joints.




Remove old boot & clean joint.



Spread silicone lube on entire cone tool. Slide boot over cone tool, large end first. See package for outer boot instructions.



Empty the bag of grease into the CV joint/boot, clean sealing points & install clamps.



Reassemble tie rod, ball joints, brake caliper, axle nut, tire & wheel.

Refer to your owner's manual for further instructions and torque specifications.
*Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair.

CLEAN YOUR VEHICLE

PRE-TREAT

MUD SHIELD PRE-TREATMENT

- Inhibits the adhesion of dirt, mud, and snow, making cleaning your vehicle faster and easier.

» 473 mL AEROSOL

NEVER RUST SPRAY

- Synthetic formula highly resistant to water protects against rust and corrosion while lubricating metal surfaces.

» 473 mL AEROSOL

CLEAN

XP WASH

- Foaming, highly-concentrated wash easily removes the most stubborn and intense dirt build-up.

» 946 mL

XP SPRAY WASH

- Effortless biodegradable, high-performance wash ideal for removing dirt, oils and carbon—simply spray on, spray off and go.

» 946 mL

ALL-PURPOSE CLEANER

- Professional grade, non-streak, foam formula cuts through grease, dirt and film leaving an invisible, dirt-resistant barrier for long-lasting results.

» 473 mL

GLASS CLEANER

- Heavy-duty foam non-streak formula cuts through grease, dirt, dried bugs and film leaving a crystal clear dirt-resistant barrier for long-lasting results.

» 473 mL



PROFESSIONAL GRADE CLEANERS

VEHICLE

VEHICLE & EQUIPMENT WASH

- Concentrated professional grade formula powers through vehicle buildup, dirt and grease with a spot-free rinse. Treat up to 121 L Biodegradable product.

» 3.8 L • 2830417

» 19 L • 2830422

SHOP

ALL-PURPOSE CLEANER PLUS

- Professional-grade formula removes built-up stains from shop floors, work benches, and other hard surfaces. VOC-free, environmentally-friendly, and biodegradable.

» 3.8 L • 2830414

» 19 L • 2830416

HD CLEANER & DEGREASER

- Professional-grade, biodegradable, high-foaming formula dissolves and removes tough stains and soils.

» 3.8 L • 2830418

» 19 L • 2830420

BRING IT EVERYWHERE

TRAILERING



ALUMINUM ARCHED LOADING RAMPS

» 193 cm x 30.5 cm • 907 kg • 2875384

» 224 cm x 30.5 cm • 1361 kg • 2875386



LIGHTWEIGHT TRI-FOLD RAMPS


- Ramp folds up for transport

- Capacity for up to 680.7 kg

- Safety straps included

» 183 cm x 130 cm • 2875385

» 208 cm x 130 cm • 2875860



FOLDING ALUMINUM ARCHED RAMPS

- Ramp folds up for transport

- Capacity up to 1361 kg


- Safety straps included

» 224 cm x 30.5 cm • 2875387


HITCHES

3:1 HITCHES


VERSATILE 3 IN 1 FUNCTIONALITY



BALL



HOOK



PIN

- Ball, pin and hook design
- Durable, rust resistant steel with black powdercoated finish

- Removable ball
- HD 1.6 cm pin and clip



HITCH WITH 5 cm BALL

» 5 cm x 5 cm RECEIVER 2830522

» 3 cm x 3 cm RECEIVER 2830523



4.8 cm BALL

- 4.8 cm replacement ball for hitch

• Designed to work with 3:1 Hitch

» 2830524



RECEIVER HITCH

» 5 cm RECEIVER TONGUE 2875320

» FRONT HITCH RECEIVER 2878846



TRAILER BALL 1.9 cm SHANK

» 4.8 cm BALL • 2877602

» 5 cm BALL • 2877603



RECOVERY STRAP

- 5 cm x 9.1 m (8165 kg)

- Comes with carry bag

» 2884033



RATCHET STRAP

- 3.8 cm x 4.6 m straps, 2 Pack

- Heavy duty webbing

- 2495 kg maximum load, 831 kg working load

» 2884031



RATCHET STRAP

- 5 cm x 6.1 m Ratchet Straps

- Heavy duty webbing, floating D-rings, double J-hooks

- 4536 kg maximum load, 1497 kg working load

» 2884032



SHOCK STRAPS

- 3.8 cm 1361 kg breaking strength

- Keeps tension on tie-down straps to secure load, 2 Pack

» 3.8 cm x 4.6 m • 2883296

» 3.8 cm x 2.1 m • 2883295

CLEAN YOUR SHOP

TOWELS

POLARIS SHOP TOWELS

» 200 CT WITH DISPENSER 2830402

» 200 CT REFILL • 2830403

» 64 CT REFILL • 2830440



POLARIS HEAVY-DUTY SCRUBBER WIPES

» 90 CT • 2830441



POLARIS SxS CAMO FIELD COVER

» 2882160

POLARIS GENERAL 1000/4 '16-20

TRAILERABLE COVER BY POLARIS

» 2-SEAT • 2881841

POLARIS GENERAL 1000 '16-20

» 4-SEAT • 2881787

POLARIS GENERAL 4 1000 '17-20



RIDING JERSEYS & GLOVES

NEW


OFF-ROAD RIDING JERSEYS
S-3XL

- Mesh ventilated panels for maximum airflow
- Elastic sleeves with non-restrictive cuffs

NEW

OFF-ROAD RIDING GLOVES
S-3XL

- Adjustable wrist closure for a custom fit
- Comfort in the details: silicon finger grips and neoprene knuckle protection





BLACK
JERSEY | 2860646
GLOVE | 2860641



BLUE/LIME
JERSEY | 2860647
GLOVE | 2860642



MULTICOLOR
JERSEY | 2860648
GLOVE | 2860643



NAVY/PINK
JERSEY | 2860649
GLOVE | 2860644



RED
JERSEY | 2860650
GLOVE | 2860645



NEW

YOUTH JERSEY
S-XL
MULTICOLOR | 2860652
BLUE | 2860651



**BOLD
TECHNICAL
GEAR TO
INSPIRE EVERY
ADVENTURE**

COOLING SHIRTS

NEW

MEN'S LONG SLEEVE COOLING SHIRT
S-3XL | 2860638

NEW

WOMEN'S LONG SLEEVE COOLING SHIRT
S-3XL | 2860640



POWERED BY coolcore

Moisture Wicking | Moisture Transportation | Regulated Evaporation

FABRIC TECHNOLOGY DESIGNED TO KEEP YOU COOL

Cooling fabric designed with sun protection in mind. Our chemical-free fabric Coolcore reduces the surface temperature on our cooling shirt up to 30%, so you don't overheat. It carries a 50 Ultraviolet Protection Factor rating, the highest attainable, blocking 98% of harmful UV rays. Available in long and short sleeve.

NEW

SHORT SLEEVE COOLING SHIRTS



MEN'S
S-3XL | 2860634

WOMEN'S
S-3XL | 2860636

LAYERING

FULL ZIP MID LAYER
S-3XL
BLACK/PINK | 2860564


- Enhanced fit for full range of movement
- 280 grams of breathable fleece



WOMEN'S GRAY/PURPLE
S-3XL | 2860549

MEN'S GRAY/BLUE
S-3XL | 2860548

MEN'S BLACK
S-3XL | 2868512



MEN'S TRAIL MID-LAYER
S-3XL
NAVY | 2860552
GRAY | 2869925

- Wind blocking layer on chest
- 280 grams of breathable fleece

HELMETS

509 FOR POLARIS®



LIME
S-4XL | 2868539

509® ALTITUDE HELMET

STYLISH, LIGHTWEIGHT HELMET WITH 509® FIT AND FINISH

SHELL

- Thermoplastic poly alloy outer shell

WEIGHT

- 1260 grams

FEATURES

- Revolutionary neck brace-ready shell profile
- Specially designed expanded polyurethane chin insert
- Eight intake/exhaust vents
- Universal camera mount included
- Removable breath box included
- Three outer shell molds across eight sizes for excellent fit
- DOT- and ECE 22.05-approved



ORANGE
S-4XL | 2867818



BLUE
S-4XL | 2867820



RED
S-4XL | 2867819



GRAY
S-4XL | 2867817



509® ALTITUDE CARBON HELMET

DURABLE, ULTRA LIGHTWEIGHT, CARBON FIBER

SHELL

- Full carbon fiber shell

WEIGHT

- 1100 grams

FEATURES

- Fidlock® magnetic chin strap technology, easy-on/off technology
- Revolutionary neck brace-ready shell profile
- Removable breath box included
- Universal camera mount included
- Eight intake /exhaust vent ports
- Fully convertible for winter and summer use
- Three outer shell molds across eight sizes for excellent fit
- DOT- and ECE 22.05-approved



CARBON GLOSS
S-4XL | 2867815



CARBON MATTE
S-4XL | 2867814

GOGGLES

KINGPIN 509® DIRT GOGGLE

PREMIUM MATERIALS, ATTRACTIVE PRICE

FEATURES

- Oversized spherical lens delivers optimal peripheral vision
- Metal tear off posts provide strength and durability
- Quick-Change technology allows you to run the best lens tint for conditions



BLUE
2868667



ORANGE
2868668



BLACK
2868669



RED
2868670



LIME
2868671

TENACITY HELMET

ALL THE STYLE & PROTECTION IN OUR MOST AFFORDABLE HELMET

SHELL

- Injection-molded plastic

WEIGHT

- 1450 grams

FEATURES

- Stay cool when pushing the limits with oversized mouth intake and top vents with six rear exits
- Stay warm on cold days with optional breath deflect or insert (sold separately)
- Removable, machine-washable liner keeps things fresh ride after ride
- DOT- and ECE 22.05-approved



RED GLOSS
XS-2XL | 2868623



BLACK MATTE
XS-2XL | 2868619



LIME GLOSS
XS-2XL | 2868621



BLUE GLOSS
XS-2XL | 2868622



BLACK/GRAY
XS-2XL | 2868620



PINK GLOSS
XS-2XL | 2868624



TEKVEST®

ULTIMATE PROTECTION

VISIT POLARIS.COM FOR TEKVEST® SIZING



TEKVEST® SUPERSOFT
S-3XL | 2862190

- Zip-off fleece collar diffuses rising body heat to reduce fogging
- Large arm openings for unrestricted movement
- Drop-tail design for extended coverage
- 2-stage pockets



TEKVEST® FREESTYLE
S-3XL | 2862189

- Strong, protective ultra high molecular weight panels cover shoulders
- Front and rear mesh panels promote cooling airflow
- Large arm openings for unrestricted movement
- Use off-roading and/or snowmobiling



TEKVEST® SHOULDER PADS
S-3XL | 2862192

- Strong and protective Ultra High Molecular Weight Polyethylene
- Adjustable bicep strap
- Quick-attach design for installation or removal in seconds



TEKVEST® YOUTH
S-3XL | 2862191

- Adjustable side straps and arm straps
- Strong, protective ultra high molecular weight panels cover shoulders
- Large arm openings for unrestricted movement

OUTERWEAR



FLANNEL JACKET
CHARCOAL
S-3XL | 2860865

WORK JACKET
GRAY
S-3XL | 2860863


NEW

FLANNEL JACKET

Stylish and warm flannel shirt/jacket with front snap closure available in 2 colorways. Soft yet durable brushed flannel on the outside lined with warm Sherpa fleece on the inside. Available in Men's sizing S-3XL.

Ample storage with 5 total pockets:

- External pockets include 2 chest and 2 hand pockets with snap closures
- One internal pocket with zip closure



BRONZE
S-3XL | 2860864

NEW

WORK JACKET


This warm and rugged jacket was engineered to be tough enough for work and stylish enough for play. The outer fabric is crafted with Nylon 6, a durable, non-stretch woven fabric that is rugged and tear resistant but feels like a soft, comfortable material. Protection and warmth with 100% nylon shell coated with durable water repellency (DWR).

External features:

- Superior Durable Water Repellent (DWR) treatment provides water-resistance in the elements
- Four external pockets for maximum gear storage
- Customized fit with Velcro® wrist closure cuffs

Internal features:

- 80 gram 3M® Thinsulate for warmth on chilly days
- Built in action back provides comfortable movement and increased range of motion
- Internal zipper pocket
- Brushed flannel trim



GREEN
S-3XL | 2860862

JACKETS

NEW
BLUE/PINK
S-3XL | 2860546

NEW
NAVY
S-3XL | 2860545

SOFTSHELL JACKET

LIGHTWEIGHT PERFORMANCE THAT'S SURPRISINGLY WARM AND PERFECT FOR EVERYDAY WEAR

- DWR prevents precipitation from saturating the jacket's exterior
- Three external and one internal pocket
- Lined with 280 grams of soft fleece for warmth
- Removable hood and underarm venting

WOMEN'S

NEW

BLACK

S-3XL | 2869920

NEW

CORAL

S-3XL | 2869921

NEW

PURPLE/LIME

S-3XL | 2860547

MEN'S

NEW

BLACK

S-3XL | 2869918

NEW

BLUE/ORANGE

S-3XL | 2869919

NEW

BLACK/LIME

S-3XL | 2860544

RAIN SUIT

RAIN JACKET
GRAY
S-3XL | 2869527

RAIN PANTS
GRAY
S-3XL | 2869528

- 100% waterproof lightweight and packable nylon
- YKK® Zippers
- Rain jacket has removable hood

OUTERWEAR
BUILT TO
WORK HARD
& PLAY HARD

APPAREL & HELMETS

OUTERWEAR & PROTECTION

LIFESTYLE & CAPS

CAMO & GIFTS

50


51



MEN'S CORE FULL-ZIP HOODIE
S-3XL
NAVY/RED | 2860565
BLACK/LIME | 22860566



WOMEN'S CORE FULL-ZIP HOODIE
S-3XL
GRAY/BLUE | 2860567
BLACK/PINK | 2860615



WOMEN'S ROSEAU TEE
S-3XL
BLACK | 2868586
NEW PURPLE FROST | 2860591
GRAY FROST | 2869559

MEN'S ESTA TEE
S-3XL
NEW OLIVE HEATHER | 2860589
CHARCOAL | 2869552
NAVY | 2869562

POLARIS GENERAL HAT
GRAY S/M | 2868748
GRAY L/XL | 2868749

POLARIS GENERAL TEE
S-3XL
GRAY | 2868767




QUARTER ZIP
S-3XL
WOMEN'S BLACK | 2860550
WOMEN'S PURPLE | 2860551
MEN'S BLACK | 2869535
MEN'S GRAY | 2869536



MEN'S LONG SLEEVE DASH TEE
S-3XL
BLACK | 2860568
GRAY FROST | 2860569

CAPS



NEW CAMO TRUCKER HAT
One-Size
BLACK | 2860613
PINK | 2860614

PATCH CORE HAT
BLACK S/M | 2868579
BLACK L/XL | 2868580
NAVY S/M | 2868581
NAVY L/XL | 2868582

DASH SNAPBACK HAT
One-Size
BLACK | 2860595
GRAY | 2860596

CORE SNAPBACK HAT
One-Size
BLACK | 2867762
NAVY | 2869544


PATCH TRUCKER HAT
One-Size
BLACK | 2860597
NAVY | 2860598

RETRO TRUCKER HAT
One-Size
GRAY/RED | 2869542
GRAY/BLUE | 2869543

KNIT PATCH BEANIE
One-Size
BLACK | 2860601
GRAY | 2860602

FLEECE REVERSIBLE BEANIE
One-Size
CAMO/GRAY | 2868648
CAMO/BLAZE ORANGE | 2867756

CAMO



NEW
CAMO POLY HOODIE
S-3XL
BLACK | 2860718

NEW
HUNTER CAMO HOODIE
S-3XL
OLIVE | 2868716
GRAY | 2860728



NEW
MEN'S CAMO TEE
S-3XL
GRAY | 2860709
BLACK | 2860710

NEW
WOMEN'S CAMO TEE
S-3XL
BLACK | 2860836
OLIVE | 2860837

CAMO FULL ZIP
S-3XL | 2869590 |

CAMO HOODIE
S-3XL
WOMEN'S | 2867898
MEN'S | 2867879

GIFTS & BRANDED MERCHANDISE

BARWARE



POLARIS FLASK
2860812

WHISKEY ROCKS
2860813

POLARIS WOODEN
COASTERS WITH
BOTTLE OPENER
2860869

BEER FLIGHT
SAMPLER
2860814

PINT GLASS
(Set of 2)
2860815

CREDIT CARD
BOTTLE OPENER
2860818

RECREATION/GARAGE



CARD DECK
2860816

PREMIUM COOZIE
2860829

18 OZ STEEL CAMO
WATER BOTTLE
2867962



POLARIS WOOD SIGN
(26.7 cm x 61 cm)
2860866

POLARIS STEEL SIGN
(35.6 cm x 91.4 cm)
2860868

POLARIS ALUMINUM SIGN
(56 cm)
2860867

APPAREL & HELMETS

OUTWEAR &
PROTECTION

LIFESTYLE & CAPS

CAMO & GIFTS

FIND YOUR NEXT ADVENTURE



UNLESS NOTED, TRADEMARKS ARE THE PROPERTY OF POLARIS INDUSTRIES INC. 509' is a registered trademark of Teton Outfitters, LLC. Apple® is a registered trademark of Apple Inc. App Store® is a registered trademark of Apple Inc. BatteryMinder® is a registered trademark of VDC Electronics Inc. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. Browning® is a registered trademark of Browning Corporation. Can-Am® and COMMANDER® are registered trademarks of Bombardier Recreational Products Inc. Camoplast® is a registered trademark of Camoplast Solideal Inc. Caliber® is a registered trademark of Caliber, Inc. COOLCORE® is a registered trademark of Tempnology LLC. CREE® is a registered trademark of Cree, Inc. FOX® is a registered trademark of Fox Factory Inc. Google Play® is a registered trademark of Google, Inc. GoPro® is a registered trademark of GoPro Inc. Homelink® is a registered trademark of Johnson Controls Technology Inc.. Mathews® is a registered trademark of Mathews Archery Inc. Maxis® is a registered trademark of Cheng Shin Rubber Ind. CO., LTD. MTX® is a registered trademark of Mitek Corporation. OBD® is a registered trademark of Odo International, Inc. Rigid® is a registered trademark of Rigid Hitch, Inc. Rockford Fosgate® is a registered trademark of Rockford Corporation. Tiger Drylac® is a registered trademark of Tiger Drylac GmbH & Co. KG. Walker Evans® is a registered trademark of Walker Evans Enterprise Corp. Yeti® is a registered trademark of Yeti Coolers, LLC. YKK® is a registered trademark of YKK Corporation. YouTube® is a registered trademark of Google Inc. PRICES, FITMENT AND AVAILABILITY ARE SUBJECT TO CHANGE AT ANY TIME. COPYRIGHT © 2019 POLARIS INDUSTRIES INC. ALL RIGHTS RESERVED.

Availability varies by market, check your local dealer for availability. Never transport a loaded firearm. Verify firearm is unloaded prior to mounting. Please refer to local laws and regulations regarding the requirements for the legal transport of firearms.

DOMINATE ANY ENVIRONMENT

PRO ARMOR®



WHEELS & TIRES

SEE P. 24

TIRE: CRAWLER XR

WHEEL: REBLR & BLACK BEADLOCK

POLARIS

MY20 GENERAL APP ACC INTL
SEPT '19