

# POLARIS SPORTSMAN<sup>®</sup>



2023





ATV







## CHOOSE YOUR ATV MODELS

**SPORTSMAN 450  
EPS - 48"**



**SPORTSMAN 570  
PREMIUM - 48"**



**SPORTSMAN XP  
1000 S - 55"**



**SCRAMBLER XP  
1000 S - 55"**



## POLARIS ATV

Trusted by over a million owners for its ride & handling,  
unrivalled versatility, and reliable performance.  
Work or play, take on anything with confidence.



# 2023 MODEL LINE UP



## SPORTSMAN®

450 EPS - 48"



33 HP



ON DEMAND TRUE  
ALL-WHEEL-  
DRIVE (AWD)



612 KG TOWING  
CAPACITY



40.8 KG FRONT /  
81.6 KG REAR  
RACK CAPACITY



ELECTRONIC  
POWER  
STEERING



IRS WITH  
24.1 CM OF  
TRAVEL



## SPORTSMAN®

570 PREMIUM EPS EBS - 48"



44 HP



ON DEMAND TRUE  
ALL-WHEEL-  
DRIVE (AWD)



612 KG  
TOWING  
CAPACITY



40.8 KG FRONT /  
81.6 KG REAR  
RACK CAPACITY



ENGINE BRAKING  
SYSTEM &  
ACTIVE DESCENT  
CONTROL (ADC)



IRS WITH  
24.1 CM OF  
TRAVEL



## SPORTSMAN®

SPORTSMAN XP 1000 S - 55"



89 HP



ON DEMAND TRUE  
ALL-WHEEL-  
DRIVE (AWD)



794 KG TOWING  
CAPACITY



91 KG FRONT /  
136 KG REAR  
RACK CAPACITY



IRS WITH  
35.6 CM  
OF TRAVEL



ENGINE BRAKING  
SYSTEM &  
ACTIVE DESCENT  
CONTROL (ADC)



## SCRAMBLER

XP 1000 S - 55"



89 HP



ON DEMAND TRUE  
ALL-WHEEL-  
DRIVE (AWD)



27" TYRES



11 KG FRONT /  
23 KG REAR  
RACK CAPACITY



ENGINE  
BRAKING  
SYSTEM



IRS WITH  
35.6 CM  
OF TRAVEL





# POLARIS

## GENUINE PARTS & ACCESSORIES

"GET MORE DONE"

LOCK & RIDE®

Quick and easy fit and remove  
with no tools required.

FOR YOUR COMFORT,  
SAFETY & PROTECTION



Mark Larkham talks  
about PolarIS Genuine  
Accessories.



1. BODY ARMOR- BLACK #2884851
2. BRUSHGUARD - FRONT HD WITH HITCH #2884850
3. FRONT RACK EXTENDER #2884840
4. LOCK & RIDE WINDSHIELD, MID VIEW #2884845
5. OPEN CARGO BOX #2884854
6. REAR RACK EXTENDER #2884841
7. BRUSHGUARD - REAR #2884847
8. REAR UTILITY RACK #2884843
9. WINCH - POLARIS PRO HD 1,134KG #2884832
10. HANDGUARDS - BLACK #2876846









SPORTSMAN 450 EPS - 48"



SPORTSMAN 570 PREMIUM EPS EBS - 48"



SPORTSMAN XP 1000 S - 55"



SCRAMBLER XP 1000 S - 55"

ENGINE	Engine Type	Prostar 4-Stroke SOHC Single Cylinder	Prostar 4-Stroke SOHC Single Cylinder	ProStar 4-Stroke SOHC Twin Cylinder	ProStar 4-Stroke SOHC Twin Cylinder
	Displacement	499cc	567cc	952cc	952cc
	Fuel System / Battery	Electronic Fuel Injection / 340 CCA	Electronic Fuel Injection / 340 CCA	Electronic Fuel Injections / 400 CCA	Electronic Fuel Injections / 400 CCA
	Cooling	Liquid	Liquid	Liquid	Liquid
DRIVETRAIN	Transmission/ Final Drive	Automatic PVT P/R/N/L/H In-line Shifting	Automatic PVT P/R/N/L/H In-line Shifting	Automatic PVT P/R/N/L/H In-line Shifting	Automatic PVT P/R/N/L/H In-line Shifting
	Drive System	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD
	Engine Braking System / Active Descent Control	Not Equipped/Not Equipped	Standard/Standard	Equipped/Equipped	Equipped/Not Equipped
SUSPENSION	Front Suspension	Sealed MacPherson Strut 20.8 cm Travel	Sealed MacPherson Strut With 20.8 cm Travel	Clearance Arched Dual A-Arm in 29.5 cm Travel	Sealed High Clearance Arched Dual A-Arm 29.2 cm Travel
	Rear Suspension	Sealed Dual A-Arm, IRS 24.1 cm Travel	Sealed Dual A-Arm, IRS 24.1 cm Travel	Sealed Dual A-Arms Rolled IRS, 35.6 cm Travel	Sealed Dual A-Arm Rolled IRS, 35.6 cm Travel
BRAKES	Front/Rear Brakes	Single Lever 3-Wheel Hydraulic Disc with Hydraulic Rear Foot Brake	Single Lever 3-Wheel Hydraulic Disc with Hydraulic Rear Foot Brake	Single Lever 4-Wheel Hydraulic Disc with Hydraulic Rear Foot Brake	Single Lever 4-Wheel Hydraulic Disc with Hydraulic Rear Foot Brake
	Parking Brake	Park In-Transmission / Lockable Hand Lever	Park In-Transmission / Lockable Hand Lever	Park In-Transmission / Lockable Hand Lever	Park In-Transmission / Lockable Hand Lever
TYRES AND WHEELS	Front Tyres	25x8-12 P373; 6 PLY	26 x 8-14; Duro Powergrips	27 X 9-14 DURO PowerGrip V2	27 x 9 Duro PowerGrip II
	Rear Tyres	25x10-12 P373; 6 PLY	26 x 10-14; Duro Powergrips	27 X 11-14 DURO PowerGrip V2	27 x 9 Duro PowerGrip II
	Wheels	Steel	35.6 cm Aluminum	35.6 cm Aluminum	30.5 cm Aluminum
	Wheelbase	128.3 cm	128.3 cm	144.27 cm	145.8 cm
DIMENSIONS / CAPACITIES	Dry Weight	327 kg	338.4 kg	440 kg	400 kg
	Overall Vehicle Size (L x W x H)	210.8 x 121.9 x 119.4 cm	210.8 x 121.9 x 119.4 cm	209.5 x 140 x 125.7 cm	209.5 x 140 x 125.7 cm
	Ground Clearance	29 cm	29 cm	36.8 cm	36.8 cm
	Seating Capacity	1	1	1	1
	Fuel Capacity	17.0 L	17.0 L	19.9 L	19.9 L
	Dump Box Capacity	N.A	N.A	N.A	N.A
	Dimensions (L x W x H)				
	Front/Rear Rack	40.8 kg / 81.6 kg	41 kg / 82 kg	91 kg / 136 kg	11.3 kg / 22.7 kg
	Payload Capacity	220 kg	220 kg	324 kg	132 kg
	Hitch Towing Rating	612 kg	612 kg	794 kg	N/A
	Hitch Type	Standard 3.2 cm Receiver	Standard 3.2 cm Receiver	Standard 5 cm Receiver	N/A
	Cargo System/Cab	Lock & Ride Compatible 18.9L Front Dry Storage	Lock & Ride Compatible 18.9L Front Dry Storage	Lock & Ride 15L Front, 8L Rear	Lock & Ride, 4 L Rear Storage
FEATURES	Lighting	Halogen Pod & Bumper Lights, Triple 50w High Beams, Dual 50w Low Beams, Single LED Brake Light/Taillight	Halogen Pod & Bumper Lights, Triple 50w High Beams, Dual 50w Low Beams, Twin LED Brake Lights/Taillights	LED POD, LED Bumper Lights, Dual LED Brake Lights/Taillights	Dual 65W High Beams, Dual 50w Low Beam Headlight
	Electronic Power Steering	Not Equipped	Multi Select EPS	Multi Select EPS	Multi Select EPS
	Instrumentation	All Digital Gauge, Speedometer, Odometer, Tachometer, Two Tripmeters, Hour Meter, Gear Indicator, Fuel Gauge, AWD Indicator, Volt Meter, Coolant Temperature, Hi-Temp Light	All Digital Gauge, Speedometer, Odometer, Tachometer, Two Tripmeters, Hour Meter, Gear Indicator, Fuel Gauge, AWD Indicator, Volt Meter, Coolant Temperature, Hi-Temp Light, Clock	All Digital Gauge, Speedometer, Odometer, Tachometer, Two Tripmeters, Hour Meter, Gear Indicator, Fuel Gauge, AWD Indicator, Volt Meter, Coolant Temperature, Hi-Temp Light, Clock, DC Outlet	All Digital Gauge, Speedometer, Odometer, Tachometer, Two Tripmeters, Hour Meter, Gear Indicator, Fuel Gauge, AWD Indicator, Volt Meter, Coolant Temperature, Hi-Temp Light, Clock
	Other Standard Features	Front Rack Extender, 12 Volt Power Plug, Pre-Wired for Hand & Thumb Warmers, In Pod Battery Charger, Winch Mount Included	Front Trail Bumper, Front and Rear Rack Extenders, 12 Volt Power Plug, Pre-Wired for Hand & Thumb Warmers, In Pod Battery Charger, Winch Mount Included	Front Bumper, Rear Bumper, 3,500 lb. Winch, Cut and Sew Seat, Painted Plastics, In Pod Battery Charge Port, PIN Activated Secrity System (P.A.S.S.), Fender Flares, 6 Moveable Tie-Down Points	Pro Armor Light Bar, Front Bumper, Walker Evans 3-Way Adjustable Shocks, Painted Plastics, Painted Springs, 12 Volt Power Plug, Battery Charger, Pre-Wired for Winch and Hand/Thumb Warmers
Colours		Sage Green	Titanium Metallic	Super Graphite	Radar Blue

\*Specifications subject to change



# POLARIS SPORTSMAN®



# POLARIS

Think Outside

[www.polarisnewzealand.com](http://www.polarisnewzealand.com)

[/polarisorv\\_nz](https://www.instagram.com/polarisorv_nz)

[/PolarisNZ](https://www.facebook.com/PolarisNZ)

Polaris reserves the right to withdraw any product from sale or change specifications and pricing without notice. Confirm model specifications and availability with your Polaris Dealer prior to ordering. The Polaris range is not intended for and may not be registered for on-road use. All competitive comparisons are based on published manufacturer specifications available at December 2022 unless otherwise specified. See other manufacturers for latest specifications. All photography taken with professional riders and drivers. For your safety, always operate Polaris products as instructed in the product manual and on warning labels. Never carry passengers on any product not designed for such use. Preserve your future riding opportunities by showing respect for the environment, local laws and the rights of others. Avoid excessive speeds and be particularly careful on difficult terrain.

©Polaris New Zealand Pty Ltd. Registered Office: 3 Echelon Place East Tamaki 2016. Printed December 2022.