

POLARIS RZR

SPORT & RECREATIONAL



2023





POLARIS SPORT/ RECREATIONAL

Delivering next-level power, strength and control right from the factory. The Polaris RZR provides thrilling acceleration, maximum manoeuvrability and control and is built with rugged components to withstand the roughest terrain.

TRAIL

- 75 - 100 HP
- High Performance On Demand True All-Wheel-Drive (AWD)
- Electronic Power Steering
- Independent Rear Suspension, 25.4CM - 33.5CM Of Travel
- Lock & Ride®

MULTI-TERRAIN

- 110 - 181 HP
- High Performance On Demand True All-Wheel-Drive (AWD) / Isolated Xtreme Performance On Demand True All-Wheel-Drive (AWD)
- Independent Rear Suspension, 45.7CM - 50.8CM Of Travel
- Walker Evans Needle Shocks / Fox 2.5 Podium Live Valve Shocks
- GPS Ride Command 7" Touch Screen Display

WIDE OPEN

- 181 - 225 HP
- High Performance On Demand True All-Wheel-Drive (AWD) / Isolated Xtreme Performance On Demand True All-Wheel-Drive (AWD)
- 32" Tyres with 15" Painted Cast Aluminium Wheels
- Walker Evans Needle Shocks / Fox 2.5 Podium Live Valve Shocks
- Rockford Fosgate Audio

POLARIS

GENUINE PARTS & ACCESSORIES

"MAKE IT YOUR OWN"

LOCK & RIDE®

Quick and easy fit and remove
with no tools required.



FOR YOUR COMFORT,
SAFETY & PROTECTION



Mark Larkham talks
about Polaris Genuine
Accessories .

SOME OF OUR MOST POPULAR ACCESSORIES

RZR PRO R 4 ULTIMATE- 74"



ACCESSORY IDEAS

1. Polaris Pro HD 6,000 LB Winch
2. Adjustable Folding Side Mirrors
3. Premium Convex Rearview Mirror
4. RIGID® SR-Series 32" Combo LED Light Bar
5. Lock & Ride Full Vented Windshield - Hard Coat Poly, 4-Seat
6. Full Coverage Fender Flares
7. Pro Armor Wheel & Tire Set: 5302 Beadlock & Crawler XR, 33"
8. Stage 5 Audio Upgrade by Rockford Fosgate®
9. Lock & Ride Poly Rear Panel, 4-Seat

2023 MODEL LINE UP



TRAIL

RZR

TRAIL SPORT - 50"



75 HP



HIGH PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-DRIVE
(AWD)



INDEPENDENT
REAR SUSPENSION -
25.4CM OF TRAVEL



680KG
TOWING
CAPACITY



ELECTRONIC
POWER
STEERING

MULTI-TERRAIN

RZR

XP 1000 SPORT - 64"



110 HP



HIGH PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-DRIVE
(AWD)



INDEPENDENT
REAR SUSPENSION -
45.7CM OF TRAVEL



TRAILING ARM
WITH STABILIZER
BAR 50.8CM
USABLE TRAVEL



2" FRONT / 2.5"
REAR WALKER
EVANS NEEDLE
SHOCKS

RZR

PRO XP ULTIMATE - 64"



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-DRIVE
(AWD)



INDEPENDENT
REAR SUSPENSION -
50.8CM OF TRAVEL



TRAILING ARM
WITH STABILIZER
BAR 55.9CM
USABLE TRAVEL



FOX 2.5
PODIUM
LIVE VALVE

RZR

PRO XP SPORT - 64"



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE TRUE
ON-DEMAND AWD/2WD



GPS RIDE
COMMAND 7"
TOUCH SCREEN
DISPLAY



ROCKFORD
FOSGATE
AUDIO



ELECTRONIC
POWER
STEERING

2023 MODEL LINE UP



WIDE OPEN

RZR

TURBO R SPORT - 74"



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE
TRUE ON-DEMAND
AWD/2WD



32" TYRES WITH
15" PAINTED
CAST ALUMINIUM
WHEELS



TRAILING ARM
WITH STABILIZER
BAR 71.9CM
USABLE TRAVEL



WALKER EVANS
VELOCITY
SERIES SHOCKS

RZR

TURBO R ULTIMATE - 74"



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE
TRUE ON-DEMAND
AWD/2WD



GPS RIDE
COMMAND 7"
TOUCH SCREEN
DISPLAY



TRAILING ARM
WITH STABILIZER
BAR 71.9CM
USABLE TRAVEL



FOX 3.0 LIVE
VALVE X2
SHOCKS

RZR

TURBO R 4 ULTIMATE- 74"



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-
DRIVE (AWD)



GPS RIDE
COMMAND 7"
TOUCH SCREEN
DISPLAY



FOX 3.0 LIVE
VALVE X2
SHOCKS



TRAILING
ARM WITH
STABILIZER BAR
71.9CM USABLE
TRAVEL

RZR

PRO R ULTIMATE - 74"



225 HP



4-WHEEL
HYDRAULIC DISC
WITH TRIPLE-
BORE FRONT AND
DUAL-BORE REAR
CALIPERS



BOXED TRAILING
ARM WITH
STABILIZER BAR
73.7CM USABLE
TRAVEL



FOX 3.0 LIVE
VALVE X2
SHOCKS



GPS RIDE
COMMAND 7"
TOUCH SCREEN
DISPLAY

RZR

PRO R 4 ULTIMATE - 74"



225 HP



FOX 3.0 LIVE
VALVE X2
SHOCKS



GPS RIDE
COMMAND 7"
TOUCH SCREEN
DISPLAY



BOXED TRAILING
ARM WITH
STABILIZER BAR
73.7CM USABLE
TRAVEL



ROCKFORD
FOSGATE
AUDIO

CREW

RZR

PRO XP 4 SPORT - 64"



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-
DRIVE (AWD)



INDEPENDENT
REAR
SUSPENSION
- 50.8CM OF
WHEEL TRAVEL



2" FRONT/2.5"
REAR FOX SHOCKS
WITH POSITION
SENSITIVE SPIRAL
TECHNOLOGY



TRAILING ARM
STABILIZER
BAR 55.9CM
USABLE TRAVEL

RZR

PRO XP 4 ULTIMATE - 64"



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-
DRIVE (AWD)



INDEPENDENT
REAR SUSPENSION
- 50.8CM OF WHEEL
TRAVEL



FOX 2.5
PODIUM
LIVE VALVE
SHOCKS



ELECTRONIC
POWER
STEERING



SEBASTIEN LOEB

POLARIS RACING DRIVERS

Sebastien Loeb is a French professional rally, racing and rallycross driver. He is the most successful driver in the World Rally Championship, having won the world championship a record nine times in a row. He holds several other WRC records, including most event wins, most podium finishes and most stage wins.

@sebloebofficiel



RACE OF CHAMPIONS EVENT 2022
PITE HAVSVAD SWEDEN

GREG MURPHY

**RACING DRIVER / TV COMMENTATOR /
POLARIS AMBASSADOR**

Greg Murphy is a New Zealand racing driver and best known as four time winner of Bathurst 1000.

He has presented on Top Gear Live with Jeremy Clarkson and James May. His best mate is Mark Larkham and they form the perfect duo like ying and yang with Mark being more farm orientated and Greg being more recreation orientated.

Greg currently has a RZR PRO XP Ultimate model and loves exploring the amazing countryside in it.

[f/GMurphV8](#) | [@/gmracing51](#)

Photography @Bradlongworth





RZR TRAIL SPORT - 50"



RZR XP 1000 SPORT - 64"



RZR PRO XP SPORT - 64"

ENGINE	Engine Type	4-Stroke DOHC Twin Cylinder	4-Stroke DOHC Twin Cylinder	4-Stroke DOHC Twin Cylinder Turbocharged
	Displacement	875cc	999cc	925cc
	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
	Cooling	Liquid	Liquid	Liquid
DRIVETRAIN	Transmission/ Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
	Drive System	True On-Demand AWD/2WD	High Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD
	Engine Braking System / Active Descent Control	Yes / Not Equipped	Not Equipped / Not Equipped	Not Equipped / Not Equipped
SUSPENSION	Front Suspension	Dual A-Arm with Stabilizer Bar and 25.4 cm Wheel Travel	Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 40.6 cm of Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel
	Rear Suspension	Dual A-Arm with Stabilizer Bar and 25.4 cm Wheel Travel	Trailing Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 45.7 cm of Wheel Travel	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers
	Parking Brake	Park in Transmission	Park in Transmission	Park in Transmission
TYRES AND WHEELS	Front Tyres	26 X 8 X 12; PXT	29 x 9-14; Radial Tire	30 x 10-14 MAXXIS Carnivore; Wheel Size 14x6
	Rear Tyres	26 X 9 X 12; PXT	29 x 11-14; Radial Tire	30 x 10-14 MAXXIS Carnivore; Wheel Size 14x7
	Wheels	Stamped Steel	Cast Aluminum	Cast Aluminum
	Wheelbase	200.7 cm	228.6 cm	244 cm
DIMENSIONS / CAPACITIES	Dry Weight	561.5 kg	662 kg	796Kg
	Overall Vehicle Size (L x W x H)	282 x 127 x 172.5 cm	302.2 x 162.6 x 187.3 cm	320 x 162.6 x 182.1 cm
	Ground Clearance	27.9 cm	35.6 cm	36.8 cm
	Seating Capacity	2	2	2
	Fuel Capacity	35.9 L	35.9 L	45.4 L
	Bed Box Dimensions (L x W x H)	52.5 x 94 x 20 cm	72.0 x 57.0 x 17.8 cm	66 x 45 x 29.2 cm
	Front/Rear Rack or Box Capacity	N.A. / 136 kg	N.A. / 136 kg	N.A. / 136 kg
	Payload Capacity	336 kg	336 kg	336 kg
	Hitch Towing Rating	680 kg	N/A	N/A
	Hitch Type	Standard 3.2 cm Receiver	Not Equipped	Not Equipped
	Cargo System/Cab	Lock & Ride®	Lock & Ride®	Lock & Ride®
	Lighting	Halogen 55W low/ 60W high & Red LED Tail/Brake Lights	Signature White LED, Low/High & Red LED Tail / Brake Lights	White LED Low/High & Red LED Tail / Brake Lights
FEATURES	Electronic Power Steering	No	Standard with Quick Turn Rack	High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel
	Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedom- eter, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet + 12V Power Plug.	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedom- eter, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedom- eter, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet
	Other Standard Features	Adjustable Tilt Steering, Near Field Communication Technology	Adjustable Tilt Steering	High Output 900w charging system with sealed electrical, Polaris Pulse system, In-Dash Charge Port, Polaris P.A.S.S.
	Colours	White Lightning	Cruiser Black	Ghost Gray

*Specifications subject to change



RZR PRO XP ULTIMATE - 64"



RZR PRO XP 4 SPORT - 64"



RZR PRO XP 4 ULTIMATE - 64"

ENGINE	Engine Type	4-Stroke DOHC Twin Cylinder Turbocharged	4-Stroke DOHC Twin Cylinder Turbocharged	4-Stroke DOHC Twin Cylinder Turbocharged
	Displacement	925cc	925cc	925cc
	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
	Cooling	Liquid	Liquid	Liquid
DRIVETRAIN	Transmission/ Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
	Drive System	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD
	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped	Not Equipped / Not Equipped	Not Equipped / Not Equipped
SUSPENSION	Front Suspension	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel
	Rear Suspension	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore XL Front and Dual-Bore Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore XL Front and Dual-Bore Rear Calipers
	Parking Brake	Park in Transmission	Park in Transmission	Park in Transmission
TYRES AND WHEELS	Front Tyres	30 x 10-14 MAXXIS Carnivore II; (8-Ply); Wheel Size 14x6	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x6	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x6
	Rear Tyres	30 x 10-14 MAXXIS Carnivore II; (8-Ply); Wheel Size 14x7	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x7	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x7
	Wheels	Cast Aluminum	Cast Aluminum	Cast Aluminum
DIMENSIONS / CAPACITIES	Wheelbase	244 cm	317.5 cm	317.5 cm
	Dry Weight	814 kg	916 kg	937 kg
	Overall Vehicle Size (L x W x H)	320 x 163 x 182 cm	393.7 x 162.6 x 186.9 cm	393.7 x 162.6 x 186.9 cm
	Ground Clearance	36.8 cm	36.8 cm	36.8 cm
	Seating Capacity	2	4	4
	Fuel Capacity	45.4 L	49.2 L	49.2 L
	Bed Box Dimensions (L x W x H)	66 x 45 x 29.2 cm	66 x 45 x 29.2 cm	66 x 45 x 29.2 cm
	Front/Rear Rack or Box Capacity	N.A. / 136 kg	N.A. / 136 kg	N.A. / 136 kg
	Payload Capacity	336 kg	408 kg	408 kg
	Hitch Towing Rating	N/A	N/A	N/A
FEATURES	Hitch Type	Not Equipped	Not Equipped	Not Equipped
	Cargo System/Cab	Lock & Ride®	Lock & Ride®	Lock & Ride® Fold Flat Rear Storage, convertible rear seat storage with integrated tie down points, 70.4 x 134.1 x 49.53 cm
	Lighting	Signature White LED, Low / High & Red LED Tail / Brake Lights; Front & Rear LED Accent Lights	Signature White LED, Low/High & Red LED Tail / Brake Lights	Signature White LED, Low / High & Red LED Tail / Brake Lights; Front & Rear LED Accent Lights; Interior Accent Lighting
	Electronic Power Steering	High Assist Electronic Power Steering with Quick Turn Rack; Race inspired Steering Wheel with Tilt and Telescoping adjustment; Dynamix and Ride Command Push Button Controls	High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel	High Assist Electronic Power Steering with Quick Turn Rack; Race inspired Steering Wheel with Tilt and Telescoping adjustment; Dynamix and Ride Command Push Button Controls
	Instrumentation	RIDE COMMAND® 7" Glove-Touch Display; DYNAMIX 2.0 Visualizer, Built-In GPS, Group ride (cell-based or GPS based), Topographic Mapping, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Digital Instrumentation: Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, Front and Rear DC Outlet	RIDE COMMAND® 7" Glove-Touch Display; DYNAMIX 2.0 Visualizer, Built-In GPS, Group ride (cell-based or GPS based), Topographic Mapping, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Digital Instrumentation: Speed- ometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet
	Other Standard Features	RIDE COMMAND®, High Output 900w charging system with sealed electrical, Polaris Pulse system, USB Charging, Front Bumper, In-Dash Charge Port, Cut & Sew Seats, Polaris P.A.S.S., Rockford Fosgate Stage 3 Audio.	High Output 900w charging system with sealed electrical, Polaris Pulse system, In-Dash Charge Port, Polaris P.A.S.S.	RIDE COMMAND®, High Output 900w charging system with sealed electrical, Polaris Pulse system, USB Charging, Front Bumper, In-Dash Charge Port, Cut & Sew Seats, Polaris P.A.S.S., Rockford Fosgate Stage 3 Audio.
Colours		Sunset Red	Ghost Gray	Sunset Red

*Specifications subject to change

SPORT/RECREATIONAL

SPECIFICATIONS



RZR TURBO R SPORT - 74"

RZR TURBO R ULTIMATE - 74"

RZR TURBO R 4 ULTIMATE- 74"

ENGINE	Engine Type	4-Stroke DOHC Twin Cylinder Turbocharged		4-Stroke DOHC Twin Cylinder Turbocharged		4-Stroke DOHC Twin Cylinder Turbocharged	
	Displacement	925cc		925cc		925cc	
DRIVETRAIN	Fuel System / Battery	Electronic Fuel Injection		Electronic Fuel Injection		Electronic Fuel Injection	
	Cooling	Liquid		Liquid		Liquid	
SUSPENSION	Transmission/ Final Drive	Automatic PVT P/R/N/L/H		Automatic PVT P/R/N/L/H		Automatic PVT P/R/N/L/H	
	Drive System	Isolated Xtreme Performance True On-Demand AWD/2WD		Isolated Xtreme Performance True On-Demand AWD/2WD		Isolated Xtreme Performance True On-Demand AWD/2WD	
BRAKES	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped		Not Equipped / Not Equipped		Not Equipped / Not Equipped	
	Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs		Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs		Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs	
TYRES AND WHEELS	Rear Suspension	Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9 cm Wheel Travel, Unitized Hubs		Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9 cm Wheel Travel, Unitized Hubs		Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9 cm Wheel Travel, Unitized Hubs	
	Front/Rear Brakes	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor		4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor		4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	
DIMENSIONS / CAPACITIES	Parking Brake	Park in Transmission		Park in Transmission		Park in Transmission	
	Front Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7		32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7		32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	
FEATURES	Rear Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7		32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7		32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	
	Wheels	Painted Cast Aluminum Rim with 5-Lug Pattern		Painted Cast Aluminum Rim with 5-Lug Pattern		Painted Cast Aluminum Rim with 5-Lug Pattern	
	Wheelbase	244 cm		244 cm		317.5 cm	
	Dry Weight	881 kg		913 kg		1,037 kg	
	Overall Vehicle Size (L x W x H)	325 x 188 x 189 cm		325 x 188 x 189 cm		340 x 188 x 196 cm	
	Ground Clearance	40.6 cm		40.6 cm		40.6 cm	
	Seating Capacity	2		2		4	
	Fuel Capacity	45.4 L		45.4 L		49.2 L	
	Bed Box Dimensions (L x W x H)	66 x 45 x 29.2 cm		66 x 45 x 29.2 cm		66 x 45 x 29.2 cm	
	Front/Rear Rack or Box Capacity	N.A. / 136 kg		N.A. / 136 kg		N.A. / 136 kg	
	Payload Capacity	331 kg		331 kg		526 kg	
	Hitch Towing Rating	N/A		N/A		N/A	
	Hitch Type	Not Equipped		Not Equipped		Not Equipped	
	Cargo System/Cab	Lock & Ride®		Lock & Ride®		Lock & Ride® Fold Flat Rear Storage, convertible rear seat storage with integrated tie down points, 70.4 x 134.1 x 49.53 cm	
	Lighting	Low/High & Red LED Tail / Brake Lights		Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting		Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting	
	Electronic Power Steering	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt Adjustment		Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls		Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls	
	Instrumentation	Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center; User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator		RIDE COMMAND™ 7" Glove-Touch Display; Built-In GPS, Mapping, Vehicle-to-Vehicle with *Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, and 2 Front Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center; User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals. Digital Instrumentation: Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator		RIDE COMMAND™ 7" Glove-Touch Display; Built-In GPS, Mapping, Vehicle-to-Vehicle with *Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, and 2 Front Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center; User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals. Digital Instrumentation: Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator	
	Other Standard Features	High Output 900w charging system, Polaris Pulse system, In-Dash Vehicle Charge Port, 2 DC Accy ports, Polaris P.A.S.S., Colored Toe Link, Mud and Rock Guards		RIDE COMMAND®, High Output 900W Charging System, Polaris Pulse System, In-Dash Charge Port, 2 front DC Accy ports, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Mud and Rock Guards		RIDE COMMAND®, High Output 900W Charging System, Polaris Pulse System, In-Dash Charge Port, 1 front DC Accy ports, 1 rear DC Accy port, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Mud and Rock Guards	
	Colours	Onyx Black		Orange Madness		Orange Madness	

*Specifications subject to change



RZR PRO R ULTIMATE - 74"



RZR PRO R 4 ULTIMATE - 74"

ENGINE	Engine Type	4-Stroke DOHC Inline Four Cylinder	4-Stroke DOHC Inline Four Cylinder
	Displacement	1997cc	1997cc
	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection
	Cooling	Liquid	Liquid
DRIVETRAIN	Transmission/ Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
	Drive System	Pro Performance True 2WD/4WD/4WD Lock	Pro Performance True 2WD/4WD/4WD Lock
	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped	Not Equipped / Not Equipped
SUSPENSION	Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs
	Rear Suspension	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar and 73.7cm Usable Travel, 62.2 cm Wheel Travel, Unitized Hubs	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar and 73.7cm Usable Travel, 62.2 cm Wheel Travel, Unitized Hubs
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor
	Parking Brake	Park in Transmission	Park in Transmission
TYRES AND WHEELS	Front Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
	Rear Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
DIMENSIONS / CAPACITIES	Wheels	Painted Cast Aluminum Rim with 5-Lug Pattern	Painted Cast Aluminum Rim with 5-Lug Pattern
	Wheelbase	285.4cm	339.1cm
	Dry Weight	992 kg	1,125 kg
	Overall Vehicle Size (L x W x H)	347 x 188 x 185 cm	420 x 188 x 194 cm
	Ground Clearance	40.6 cm	40.6 cm
	Seating Capacity	2	4
	Fuel Capacity	45.4 L	46.56 L
	Bed Box Dimensions (L x W x H)	75 x 60.5 x 20.6 cm	75 x 60.5 x 20.6 cm
	Front/Rear Rack or Box Capacity	N.A. / 136 kg	N.A. / 136 kg
	Payload Capacity	336 kg	408 kg
	Hitch Towing Rating	N/A	N/A
	Hitch Type	Not Equipped	Not Equipped
FEATURES	Cargo System/Cab	Lock & Ride® Factory Equipped Cargo Liner	Lock & Ride™; Convertible Fold Flat rear seat storage with integrated tie downs points, 70.4 x 134.1 x 49.53 cm Factory Equipped Cargo Liner
	Lighting	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting
	Electronic Power Steering	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls
	Instrumentation	RIDE COMMAND™ 7" Glove-Touch Display: Built-In GPS, Mapping, Vehicle-to-Vehicle with *Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, and 2 Front Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Digital Instrumentation: Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator	RIDE COMMAND™ 7" Glove-Touch Display: Built-In GPS, Mapping, Vehicle-to-Vehicle with *Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, and 2 Front Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Digital Instrumentation: Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator
	Other Standard Features	RIDE COMMAND®, High Output External 1700W Alternator, Polaris Pulse System, In-Dash Charge Port, 2 front DC Accy ports, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Hood Scoop, Mud and Rock Guards, User Selectable Throttle Modes (Sport, Rock, & Race)	RIDE COMMAND®, High Output External 1700W Alternator, Polaris Pulse System, In-Dash Charge Port, 1 front DC Accy ports, 1 rear DC Accy port, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Hood Scoop, Mud and Rock Guards, User Selectable Throttle Modes (Sport, Rock, & Race)
	Colours	Azure Crystal	Azure Crystal

*Specifications subject to change



POLARIS

Think Outside

www.polarisnewzealand.com

[/polarisorv_nz](https://www.instagram.com/polarisorv_nz)

[/PolarisNZ](https://www.facebook.com/PolarisNZ)

[/TeamRZR](https://www.facebook.com/TeamRZR)

Polaris reserves the right to withdraw any product from sale or change specifications and pricing without notice. Confirm model specifications and availability with your Polaris Dealer prior to ordering. The Polaris range is not intended for and may not be registered for on-road use. All competitive comparisons are based on published manufacturer specifications available at December 2022 unless otherwise specified. See other manufacturers for latest specifications. All photography taken with professional riders and drivers. For your safety, always operate Polaris products as instructed in the product manual and on warning labels. Never carry passengers on any product not designed for such use. Preserve your future riding opportunities by showing respect for the environment, local laws and the rights of others. Avoid excessive speeds and be particularly careful on difficult terrain. ©Polaris New Zealand Pty Ltd. Registered Office: 3 Echelon Place East Tamaki 2016. Printed December 2022.